

Table 1.1. STI Cases and Rates (per 100,000), Los Angeles County, 2019-2023

	2019 ¹		2020 ^{1,2}		2021 ¹		2022 ^{1,3}		2023 ^{1,3}	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Total										
Syphilis⁴	8,574	89	7,814	83	9,299	100	10,016	109	9,377	102
Early Syphilis ⁵	5,648	59	4,972	53	5,749	62	5,563	61	4,897	53
Primary & Secondary	2,353	24	2,026	22	2,481	27	2,206	24	1,929	21
Early Non-primary, Non-secondary	3,295	34	2,946	31	3,268	35	3,357	37	2,968	32
Late Latent/Late	2,926	30	2,842	30	3,550	38	4,453	48	4,480	49
Congenital ⁶	88	88	113	124	124	139	137	153	126	148
Gonorrhea	24,336	253	23,922	254	28,465	306	26,344	287	26,163	284
Chlamydia	65,432	679	49,779	529	53,128	571	53,569	583	54,221	588
Male										
Syphilis⁴	6,879	145	6,226	135	7,030	154	7,317	163	6,734	149
Early Syphilis ⁵	4,964	104	4,241	92	4,685	103	4,573	102	4,092	91
Primary & Secondary	2,088	44	1,722	37	1,932	42	1,766	39	1,602	36
Early Non-primary, Non-secondary	2,876	61	2,519	55	2,753	60	2,807	62	2,490	55
Late Latent/Late	1,915	40	1,985	43	2,345	51	2,744	61	2,642	59
Gonorrhea	17,157	361	16,434	357	20,103	441	19,353	430	19,986	443
Chlamydia	27,385	576	20,898	453	23,282	511	23,691	527	24,155	535
Female										
Syphilis⁴	1,489	31	1,396	29	1,981	42	2,414	51	2,383	51
Early Syphilis ⁵	538	11	597	12	866	18	798	17	635	13
Primary & Secondary	225	5	272	6	490	10	403	9	291	6
Early Non-primary, Non-secondary	313	6	325	7	376	8	395	8	344	7
Late Latent/Late	951	19	799	17	1,115	23	1,616	34	1,748	37
Gonorrhea	6,994	143	7,265	151	8,101	171	6,736	144	5,796	123
Chlamydia	37,802	775	28,672	598	29,624	624	29,611	631	29,491	626
Transgender⁷										
Syphilis⁴	205	-	192	-	287	-	285	-	258	-
Early Syphilis ⁵	145	-	134	-	198	-	192	-	168	-
Primary & Secondary	39	-	32	-	59	-	37	-	35	-
Early Non-primary, Non-secondary	106	-	102	-	139	-	155	-	133	-
Late Latent/Late	60	-	58	-	89	-	93	-	90	-
Gonorrhea	176	-	209	-	252	-	249	-	350	-
Chlamydia	152	-	157	-	193	-	214	-	273	-

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena. Rates based on observations less than or equal to 12 are considered unstable (see Technical Notes).

² Note that the number of reported STIs for 2020 decreased as a result of decreased STI screening and increased use of telemedicine during the COVID-19 Stay at Home Health Officer Order.

³ Data are provisional due to reporting delay.

⁴ Overall syphilis rate does not include congenital syphilis cases.

⁵ Early Syphilis includes all cases staged as primary, secondary, or early non-primary non-secondary (previously early latent).

⁶ Rate calculated per 100,000 live births.

⁷ Includes both transgender women and transgender men. Rates for transgender persons cannot be calculated due to a lack of denominator data.

Table 2.1. Early Syphilis Cases and Rates (per 100,000) by Gender, Sexual Behavior, Age Group, Race/Ethnicity, and Service Planning Area (SPA), Los Angeles County, 2023¹

	Male			Female			Total ²		
	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³
Gender									
Male	4,092	(100)	91	-	-	-	4,092	(84)	91
Female	-	-	-	635	(100)	13	635	(13)	13
Transgender ⁴	-	-	-	-	-	-	168	(3)	-
Missing ⁴	-	-	-	-	-	-	2	(0)	-
Sexual Behavior (males only)⁴									
MSM	2,740	(67)	-	-	-	-	-	-	-
MSMW	263	(6)	-	-	-	-	-	-	-
MSW	554	(14)	-	-	-	-	-	-	-
Missing	535	(13)	-	-	-	-	-	-	-
Age Group (Yr)									
0-14	0	(0)	0	0	(0)	0	0	(0)	0
15-19	57	(1)	19	28	(4)	9	86	(2)	14
20-24	330	(8)	105	72	(11)	24	418	(9)	68
25-29	631	(15)	182	127	(20)	37	787	(16)	114
30-34	808	(20)	217	114	(18)	31	964	(20)	130
35-39	702	(17)	205	117	(18)	35	843	(17)	124
40-44	511	(12)	162	66	(10)	21	602	(12)	94
45-54	632	(15)	108	77	(12)	12	734	(15)	61
55-64	352	(9)	64	30	(5)	5	389	(8)	34
65+	68	(2)	11	4	(1)	0	73	(1)	5
Missing ⁴	1	(0)	-	0	(0)	-	1	(0)	-
Race/Ethnicity									
White	804	(20)	66	101	(16)	8	923	(19)	38
Black	677	(17)	197	124	(20)	32	844	(17)	116
Latinx	2,163	(53)	96	338	(53)	15	2,593	(53)	57
Asian	232	(6)	34	12	(2)	2	252	(5)	17
Native Hawaiian/Pacific Islander	12	(0)	138	<5	-	-	14	(0)	79
American Indian/Alaskan Native	18	(0)	228	<5	-	-	19	(0)	119
Other/Multi-race ⁴	99	(2)	-	23	(4)	-	126	(3)	-
Missing ⁴	87	(2)	-	36	(6)	-	126	(3)	-
Service Planning Area									
Antelope Valley [1]	101	(2)	49	33	(5)	16	136	(3)	33
San Fernando [2]	667	(16)	64	72	(11)	7	755	(15)	35
San Gabriel [3]	353	(9)	46	64	(10)	8	424	(9)	27
Metro [4]	1,390	(34)	248	142	(22)	26	1,606	(33)	145
West [5]	173	(4)	55	19	(3)	6	198	(4)	30
South [6]	587	(14)	122	161	(25)	32	780	(16)	79
East [7]	395	(10)	64	73	(11)	11	485	(10)	38
South Bay [8]	382	(9)	74	59	(9)	11	456	(9)	43
Missing ⁴	44	(1)	-	12	(2)	-	57	(1)	-
Total	4,092	(100)	91	635	(100)	13	4,897	(100)	53

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena. Data are provisional due to reporting delay. Early Syphilis includes all cases staged as either primary, secondary, or early non-primary non-secondary (previously early latent).

² Includes missing gender, transgender women and transgender men.

³ Rates based on observations less than or equal to 12 are considered unstable (see technical notes).

⁴ Rates cannot be calculated due to a lack of reliable denominator data.

Table 2.2. Early Syphilis Cases and Rates (per 100,000) by Service Planning Area (SPA) and Health District (HD), Los Angeles County, 2019-2023¹

SPA/HD	2019			2020 ²			2021			2022 ³			2023 ³		
	N	(%)	Rate ⁴	N	(%)	Rate ⁴	N	(%)	Rate ⁴	N	(%)	Rate ⁴	N	(%)	Rate ⁴
Antelope Valley [1]	144	(3)	36	137	(3)	33	171	(3)	41	167	(3)	40	136	(3)	33
Antelope Valley	144	(3)	36	137	(3)	33	171	(3)	41	167	(3)	40	136	(3)	33
San Fernando [2]	863	(15)	38	829	(17)	38	927	(16)	43	852	(15)	40	755	(15)	35
East Valley	271	(5)	59	255	(5)	58	280	(5)	65	259	(5)	61	230	(5)	54
Glendale	123	(2)	35	125	(3)	36	137	(2)	40	120	(2)	36	103	(2)	31
San Fernando	113	(2)	22	96	(2)	18	132	(2)	25	128	(2)	24	128	(3)	25
West Valley	356	(6)	39	353	(7)	40	378	(7)	43	345	(6)	40	294	(6)	34
San Gabriel [3]	534	(9)	32	448	(9)	28	522	(9)	33	523	(9)	33	424	(9)	27
Alhambra	104	(2)	30	83	(2)	25	91	(2)	27	94	(2)	28	74	(2)	22
El Monte	149	(3)	33	132	(3)	31	162	(3)	39	147	(3)	36	142	(3)	34
Foothill	81	(1)	26	60	(1)	19	69	(1)	22	70	(1)	23	60	(1)	19
Pomona	200	(4)	36	173	(3)	32	200	(3)	37	212	(4)	39	148	(3)	27
Pasadena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metro [4]	2,045	(36)	172	1,760	(35)	157	1,980	(34)	180	1,894	(34)	175	1,606	(33)	145
Central	706	(13)	193	603	(12)	170	733	(13)	212	654	(12)	190	559	(11)	158
Hollywood-Wilshire	1,135	(20)	223	974	(20)	203	1,048	(18)	224	1,016	(18)	220	873	(18)	185
Northeast	204	(4)	65	183	(4)	64	199	(3)	70	224	(4)	81	174	(4)	62
West [5]	268	(5)	40	205	(4)	31	208	(4)	32	233	(4)	36	198	(4)	30
West	268	(5)	40	205	(4)	31	208	(4)	32	233	(4)	36	198	(4)	30
South [6]	791	(14)	75	678	(14)	67	805	(14)	80	860	(15)	87	780	(16)	79
Compton	161	(3)	56	117	(2)	42	155	(3)	56	196	(4)	72	139	(3)	51
South	158	(3)	80	129	(3)	67	167	(3)	87	177	(3)	93	159	(3)	86
Southeast	136	(2)	77	135	(3)	81	149	(3)	91	156	(3)	96	140	(3)	86
Southwest	336	(6)	86	297	(6)	78	334	(6)	90	331	(6)	91	342	(7)	92
East [7]	545	(10)	41	510	(10)	40	625	(11)	49	565	(10)	45	485	(10)	38
Bellflower	139	(2)	38	118	(2)	33	126	(2)	35	106	(2)	30	92	(2)	26
East Los Angeles	102	(2)	50	90	(2)	46	129	(2)	66	121	(2)	63	94	(2)	49
San Antonio	194	(3)	45	188	(4)	46	239	(4)	59	221	(4)	55	196	(4)	49
Whittier	110	(2)	34	114	(2)	36	131	(2)	41	117	(2)	37	103	(2)	32
South Bay [8]	414	(7)	38	371	(7)	34	469	(8)	44	405	(7)	38	456	(9)	43
Harbor	51	(1)	24	59	(1)	29	77	(1)	39	66	(1)	34	77	(2)	39
Inglewood	250	(4)	59	204	(4)	50	277	(5)	67	224	(4)	55	262	(5)	65
Torrance	113	(2)	24	108	(2)	23	115	(2)	25	115	(2)	25	117	(2)	26
Long Beach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	44	(1)	-	34	(1)	-	42	(1)	-	64	(1)	-	57	(1)	-
Total	5,648	(100)	59	4,972	(100)	53	5,749	(100)	62	5,563	(100)	61	4,897	(100)	53

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena. Early Syphilis includes all cases staged as primary, secondary, or early non-primary non-secondary (previously early latent).

² Note that the number of reported STIs for 2020 decreased as a result of decreased STI screening and increased use of telemedicine during the COVID-19 Stay at Home Health Officer Order.

³ Data are provisional due to reporting delay.

⁴ Rates based on observations less than or equal to 12 are considered unstable (see technical notes).

Table 2.3. Early Syphilis Cases and Rates (per 100,000) by Gender, Sexual Behavior, Race/Ethnicity, and Service Planning Area (SPA) among Youth (Aged 15-24 Years), Los Angeles County, 2023¹

	15-18 Years Old									19-24 Years Old									15-24 Years Old		
	Male			Female			Total ²			Male			Female			Total ²			Total ²		
	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³
Gender																					
Male	25	(100)	10	-	-	-	25	(53)	10	362	(100)	96	-	-	-	362	(79)	96	387	(77)	62
Female		-	-	21	(100)	9	21	(45)	9	-	-	-	79	(100)	22	79	(17)	22	100	(20)	17
Transgender ⁴		-	-	-	-	-	<5	-	-	-	-	-	-	-	-	*	*	*	17	(3)	-
Missing ⁴		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sexual Behavior (males only)^{4,5}																					
MSM	13	(52)	-	-	-	-	-	-	-	223	(62)	-	-	-	-	-	-	-	236	(47)	-
MSMW	<5	-	-	-	-	-	<5	-	-	*	*	*	-	-	-	*	*	*	37	(7)	-
MSW	9	(36)	-	-	-	-	-	-	-	69	(19)	-	-	-	-	-	-	-	78	(15)	-
Missing	<5	-	-	-	-	-	<5	-	-	*	*	*	-	-	-	*	*	*	36	(7)	*
Race/Ethnicity																					
White	<5	-	-	<5	-	-	7	(15)	-	39	(11)	54	11	(14)	-	53	(12)	37	60	(16)	26
Black	<5	-	-	<5	-	-	5	(11)	-	53	(15)	189	20	(25)	73	78	(17)	140	83	(21)	91
Latinx	15	(60)	10	10	(48)	-	26	(55)	9	226	(62)	100	38	(48)	18	270	(59)	61	296	(76)	40
Asian	<5	-	-	<5	-	-	2	(4)	-	*	*	*	<5	-	-	23	(5)	23	25	(6)	16
Native Hawaiian/Pacific Islander	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-
American Indian/Alaskan Native	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-
Other/Multi-race ⁴	<5	-	-	<5	-	-	*	*	*	*	*	*	<5	-	-	*	*	*	20	(4)	-
Missing ⁴	<5	-	-	<5	-	-	*	*	*	*	*	*	<5	-	-	*	*	*	19	(4)	-
Service Planning Area																					
Antelope Valley [1]	<5	-	-	<5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	27	(5)	42
San Fernando [2]	8	(32)	-	5	(24)	-	13	(28)	12	58	(16)	71	9	(11)	-	69	(15)	43	82	(16)	31
San Gabriel [3]	<5	-	-	<5	-	-	2	(4)	-	46	(13)	67	6	(8)	-	53	(12)	40	55	(11)	25
Metro [4]	<5	-	-	*	*	*	9	(19)	-	71	(20)	197	16	(20)	47	93	(20)	133	102	(20)	91
West [5]	<5	-	-	<5	-	-	<5	-	-	12	(3)	46	*	*	*	*	*	*	17	(3)	21
South [6]	<5	-	-	<5	-	-	9	(19)	-	61	(17)	124	21	(27)	44	84	(18)	87	93	(18)	58
East [7]	<5	-	-	<5	-	-	4	(9)	-	48	(13)	85	10	(13)	-	59	(13)	54	63	(13)	34
South Bay [8]	<5	-	-	<5	-	-	4	(9)	-	51	(14)	126	5	(6)	-	58	(13)	74	62	(12)	46
Missing ⁴	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-
Total	25	(100)	10	21	(100)	9	47	(100)	10	362	(100)	96	79	(100)	22	457	(100)	62	504	(100)	41

¹ Data as of October 7, 2024. Data are provisional due to reporting delay and excludes data from the cities of Long Beach and Pasadena. Early Syphilis includes all cases staged as either primary, secondary, or early non-primary non-secondary (previously known as early latent).

² Includes missing gender, male-to-female transgender and female-to-male transgender.

³ Rates based on observations less than or equal to 12 are considered unstable and not displayed (see technical notes).

⁴ Rates cannot be calculated due to a lack of reliable denominator data.

⁵ Denominators used to calculate proportions include males only.

* Indicates secondary or complementary data suppression to protect the confidentiality of the individuals summarized in the data.

Table 2.4 Congenital Syphilis Cases by Type and Classification
Los Angeles County, 2014-2023¹

Year	Total Cases	Probable Cases		Confirmed Cases ²		Stillbirths
		Live Births	Neonatal Deaths ³	Live Births	Neonatal Deaths ³	
2014	32	30	0	0	0	2
2015	21	19	0	0	0	2
2016	33	32	0	0	0	1
2017	44	40	2	0	0	2
2018	55	50	2	1	0	2
2019	88	79	1	0	0	8
2020	113	110	1	0	0	2
2021	124	107	0	0	0	17
2022	137	122	2	0	0	13
2023	126	116	0	0	0	10

¹Data as of March 3, 2025 and excludes data from the cities of Long Beach and Pasadena.

²Confirmed cases are underreported due to the lack of darkfield microscopy in Los Angeles County.

³Death of a live born infant, regardless of gestational age at birth, within the first 28 days of life.

Table 3.1. Gonorrhea Cases and Rates (per 100,000) by Gender, Age Group, Race/Ethnicity, and Service Planning Area (SPA), Los Angeles County, 2023¹

	Male			Female			Total ²		
	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³
Gender									
Male	19,986	(100)	443	-	-	-	19,986	(76)	443
Female	-	-	-	5,796	(100)	123	5,796	(22)	123
Transgender ⁴	-	-	-	-	-	-	350	(1)	-
Missing ⁴	-	-	-	-	-	-	31	(0)	-
Age Group (Yr)									
0-14	11	(0)	-	19	(0)	3	30	(0)	2
15-19	759	(4)	247	779	(13)	261	1,548	(6)	256
20-24	2,718	(14)	866	1,547	(27)	517	4,300	(16)	701
25-29	4,215	(21)	1214	1,276	(22)	373	5,586	(21)	811
30-34	4,597	(23)	1232	924	(16)	249	5,609	(21)	754
35-39	3,122	(16)	912	558	(10)	165	3,739	(14)	549
40-44	1,891	(9)	598	312	(5)	97	2,239	(9)	351
45-54	1,678	(8)	288	263	(5)	43	1,984	(8)	165
55-64	835	(4)	153	94	(2)	16	944	(4)	83
65+	155	(1)	24	23	(0)	3	178	(1)	12
Missing ⁴	5	(0)	-	1	(0)	-	6	(0)	-
Race/Ethnicity⁵									
White	4,111	(21)	336	661	(11)	55	4,815	(18)	198
Black	3,269	(16)	949	1,237	(21)	323	4,617	(18)	634
Latinx	6,529	(33)	290	1,845	(32)	79	8,544	(33)	187
Asian	899	(4)	133	118	(2)	15	1,032	(4)	71
Native Hawaiian/Pacific Islander	64	(0)	739	13	(0)	142	77	(0)	432
American Indian/Alaskan Native	50	(0)	633	11	(0)	137	63	(0)	395
Other/Multi-race ⁴	1,439	(7)	-	386	(7)	-	1,838	(7)	-
Missing ⁴	3,625	(18)	-	1,525	(26)	-	5,177	(20)	-
Service Planning Area									
Antelope Valley [1]	481	(2)	236	382	(7)	181	867	(3)	209
San Fernando [2]	3,081	(15)	293	837	(14)	77	3,968	(15)	185
San Gabriel [3]	1,415	(7)	183	580	(10)	70	2,015	(8)	126
Metro [4]	7,829	(39)	1400	1,144	(20)	209	9,142	(35)	827
West [5]	1,237	(6)	395	268	(5)	80	1,523	(6)	234
South [6]	2,759	(14)	575	1,300	(22)	256	4,124	(16)	417
East [7]	1,613	(8)	261	603	(10)	93	2,249	(9)	178
South Bay [8]	1,509	(8)	294	634	(11)	116	2,162	(8)	204
Missing ⁴	62	(0)	-	48	(1)	-	113	(0)	-
Total	19,986	(100)	443	5,796	(100)	123	26,163	(100)	284

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena. Data are provisional due to reporting delay.

² Includes missing gender, male-to female-transgender and female-to-male transgender.

³ Rates based on observations less than or equal to 12 are considered unstable (see technical notes).

⁴ Rates cannot be calculated due to a lack of reliable denominator data.

⁵ Rates should be interpreted with caution due to large proportion of missing race/ethnicity data.

Table 3.2. Gonorrhea Cases and Rates (per 100,000) by Service Planning Area (SPA) and Health District (HD), Los Angeles County, 2019-2023¹

SPA/HD	2019			2020 ²			2021			2022 ³			2023 ³		
	N	(%)	Rate ⁴	N	(%)	Rate ⁴	N	(%)	Rate ⁴	N	(%)	Rate ⁴	N	(%)	Rate ⁴
Antelope Valley [1]	901	(4)	227	1,005	(4)	240	1,169	(4)	280	945	(4)	227	867	(3)	209
Antelope Valley	901	(4)	227	1,005	(4)	240	1,169	(4)	280	945	(4)	227	867	(3)	209
San Fernando [2]	3,809	(16)	169	3,504	(15)	159	4,413	(16)	203	3,982	(15)	185	3,968	(15)	185
East Valley	1,083	(4)	236	944	(4)	213	1,252	(4)	289	1,207	(5)	284	1166	(4)	275
Glendale	561	(2)	159	499	(2)	145	620	(2)	182	570	(2)	169	534	(2)	158
San Fernando	541	(2)	104	508	(2)	96	616	(2)	117	537	(2)	103	563	(2)	109
West Valley	1,624	(7)	177	1,553	(6)	174	1,925	(7)	219	1,668	(6)	193	1705	(7)	197
San Gabriel [3]	2,304	(9)	138	2,236	(9)	139	2,432	(9)	152	2,010	(8)	127	2,015	(8)	126
Alhambra	419	(2)	119	334	(1)	99	408	(1)	121	363	(1)	109	365	(1)	109
El Monte	657	(3)	147	624	(3)	148	703	(2)	168	570	(2)	138	539	(2)	130
Foothill	372	(2)	118	377	(2)	122	414	(1)	135	305	(1)	100	338	(1)	109
Pomona	856	(4)	155	901	(4)	165	907	(3)	167	772	(3)	144	773	(3)	143
Pasadena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metro [4]	7,310	(30)	613	6,563	(27)	585	8,570	(30)	780	8,974	(34)	829	9,142	(35)	827
Central	2,347	(10)	641	2,248	(9)	634	2,966	(10)	857	3,197	(12)	930	2892	(11)	815
Hollywood-Wilshire	4,190	(17)	822	3,565	(15)	744	4,702	(17)	1003	4,960	(19)	1074	5420	(21)	1150
Northeast	773	(3)	244	750	(3)	261	902	(3)	318	817	(3)	296	830	(3)	297
West [5]	1,294	(5)	194	1,261	(5)	189	1,509	(5)	232	1,636	(6)	253	1523	(6)	234
West	1,294	(5)	194	1,261	(5)	189	1,509	(5)	232	1,636	(6)	253	1523	(6)	234
South [6]	4,217	(17)	401	4,622	(19)	455	4,945	(17)	491	4,179	(16)	422	4,124	(16)	417
Compton	833	(3)	291	997	(4)	360	1,010	(4)	365	825	(3)	303	807	(3)	299
South	916	(4)	465	956	(4)	493	1,033	(4)	536	878	(3)	462	852	(3)	462
Southeast	601	(2)	340	684	(3)	411	709	(2)	431	595	(2)	367	628	(2)	387
Southwest	1,867	(8)	478	1,985	(8)	523	2,193	(8)	588	1,881	(7)	515	1837	(7)	494
East [7]	2,181	(9)	165	2,296	(10)	179	2,714	(10)	213	2,330	(9)	185	2,249	(9)	178
Bellflower	565	(2)	156	639	(3)	178	766	(3)	215	573	(2)	163	571	(2)	162
East Los Angeles	399	(2)	196	396	(2)	203	481	(2)	247	424	(2)	221	424	(2)	220
San Antonio	747	(3)	174	787	(3)	194	857	(3)	212	815	(3)	204	812	(3)	202
Whittier	470	(2)	144	474	(2)	148	610	(2)	190	518	(2)	163	442	(2)	139
South Bay [8]	2,059	(8)	189	2,323	(10)	215	2,606	(9)	244	2,186	(8)	207	2,162	(8)	204
Harbor	305	(1)	146	348	(1)	173	448	(2)	226	405	(2)	208	351	(1)	177
Inglewood	1,211	(5)	288	1,360	(6)	330	1,452	(5)	354	1,212	(5)	299	1217	(5)	300
Torrance	543	(2)	117	615	(3)	131	706	(2)	153	569	(2)	125	594	(2)	131
Long Beach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	261	(1)	-	112	(0)	-	107	(0)	-	102	(0)	-	113	(0)	-
Total	24,336	(100)	253	23,922	(100)	254	28,465	(100)	306	26,344	(100)	287	26,163	(100)	284

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena.

² Note that the number of reported STIs for 2020 decreased as a result of decreased STI screening and increased use of telemedicine during the COVID-19 Stay at Home Health Officer Order.

³ Data are provisional due to reporting delay.

⁴ Rates based on observations less than or equal to 12 are considered unstable (see technical notes).

Table 3.3. Gonorrhea Cases and Rates (per 100,000) by Gender, Sexual Behavior, Race/Ethnicity, and Service Planning Area (SPA) among Youth (Aged 15-24 Years), Los Angeles County, 2023¹

	15-18 Years Old									19-24 Years Old									15-24 Years Old		
	Male			Female			Total ²			Male			Female			Total ²			Total ²		
	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³
Gender																					
Male	423	(100)	174	-	-	-	423	(46)	174	3,054	(100)	807	-	-	-	3,054	(62)	807	3,477	(59)	560
Female	-	-	-	490	(100)	210	490	(53)	210	-	-	-	1,836	(100)	505	1,836	(37)	505	2,326	(40)	390
Transgender ⁴	-	-	-	-	-	-	5	(1)	-	-	-	-	-	-	-	26	(1)	-	31	(1)	-
Missing ⁴	-	-	-	-	-	-	<5	-	-	-	-	-	-	-	-	*	*	*	14	(0)	-
Race/Ethnicity																					
White	23	(5)	52	33	(7)	-	58	(6)	67	368	(12)	513	163	(9)	234	537	(11)	379	595	(10)	261
Black	125	(30)	692	207	(42)	1,202	334	(36)	947	580	(19)	2,066	498	(27)	1,807	1,084	(22)	1,948	1,418	(24)	1,560
Latinx	158	(37)	105	157	(32)	108	316	(34)	107	985	(32)	436	479	(26)	223	1,479	(30)	336	1,795	(31)	244
Asian	*	*	*	<5	-	-	9	(1)	16	98	(3)	190	26	(1)	52	124	(3)	122	133	(2)	84
Native Hawaiian/Pacific Islander	<5	-	-	<5	-	-	<5	-	-	12	(0)	1,404	*	*	*	*	*	*	19	(0)	727
American Indian/Alaskan Native	<5	-	-	<5	-	-	<5	-	-	5	(0)	-	<5	-	-	*	*	*	9	(0)	-
Other/Multi-race ⁴	31	(7)	-	27	(6)	-	59	(6)	-	275	(9)	-	115	(6)	-	392	(8)	-	451	(8)	-
Missing ⁴	78	(18)	-	62	(13)	-	141	(15)	-	731	(24)	-	547	(30)	-	1,287	(26)	-	1,428	(24)	-
Service Planning Area																					
Antelope Valley [1]	33	(8)	238	62	(13)	463	95	(10)	348	157	(5)	806	145	(8)	794	304	(6)	805	399	(7)	614
San Fernando [2]	53	(13)	96	48	(10)	92	102	(11)	95	489	(16)	594	244	(13)	320	742	(15)	468	844	(14)	317
San Gabriel [3]	31	(7)	73	44	(9)	107	75	(8)	90	286	(9)	419	179	(10)	275	467	(9)	350	542	(9)	250
Metro [4]	42	(10)	196	40	(8)	196	84	(9)	201	616	(20)	1,708	293	(16)	862	919	(19)	1,312	1,003	(17)	896
West [5]	17	(4)	138	12	(2)	92	29	(3)	114	179	(6)	679	93	(5)	313	275	(6)	490	304	(5)	373
South [6]	135	(32)	431	147	(30)	475	283	(31)	454	633	(21)	1,283	478	(26)	1,001	1,117	(23)	1,150	1,400	(24)	878
East [7]	58	(14)	154	49	(10)	139	107	(12)	147	359	(12)	637	183	(10)	340	547	(11)	496	654	(11)	358
South Bay [8]	50	(12)	176	82	(17)	302	135	(15)	243	325	(11)	803	211	(11)	550	537	(11)	681	672	(11)	500
Missing ⁴	<5	-	-	*	*	*	10	(1)	-	10	(0)	-	10	(1)	-	20	(0)	-	30	(1)	-
Total	423	(100)	174	490	(100)	210	920	(100)	193	3,054	(100)	807	1,836	(100)	505	4,928	(100)	664	5,848	(100)	480

¹ Data as of October 7, 2024. Data are provisional due to reporting delay and excludes data from the cities of Long Beach and Pasadena.

² Includes missing gender, male-to-female transgender and female-to-male transgender.

³ Rates based on observations less than or equal to 12 are considered unstable and not displayed (see technical notes).

⁴ Rates cannot be calculated due to a lack of reliable denominator data.

* Indicates secondary or complementary data suppression to protect the confidentiality of the individuals summarized in the data.

Table 4.1. Chlamydia Cases and Rates (per 100,000) by Gender, Age Group, Race/Ethnicity, and Service Planning Area (SPA), Los Angeles County, 2023¹

	Male			Female			Total ²		
	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³
Gender									
Male	24,155	(100)	535	-	-	-	24,155	(45)	535
Female	-	-	-	29,491	(100)	626	29,491	(54)	626
Transgender ⁴	-	-	-	-	-	-	273	(1)	-
Missing ⁴	-	-	-	-	-	-	302	(1)	-
Age Group (Yr)									
0-14	29	(0)	4	95	(0)	13	126	(0)	9
15-19	1,806	(7)	588	5,072	(17)	1703	6,949	(13)	1149
20-24	4,997	(21)	1592	10,235	(35)	3421	15,377	(28)	2508
25-29	5,218	(22)	1502	6,524	(22)	1909	11,856	(22)	1721
30-34	4,690	(19)	1257	3,600	(12)	970	8,376	(15)	1126
35-39	2,946	(12)	860	1,753	(6)	518	4,747	(9)	697
40-44	1,764	(7)	558	940	(3)	292	2,757	(5)	432
45-54	1,764	(7)	302	893	(3)	144	2,695	(5)	224
55-64	785	(3)	143	318	(1)	54	1,120	(2)	99
65+	152	(1)	24	54	(0)	7	207	(0)	14
Missing ⁴	4	(0)	-	7	(0)	-	11	(0)	-
Race/Ethnicity⁵									
White	3,100	(13)	-	1,637	(6)	-	4,763	(9)	-
Black	2,919	(12)	-	2,807	(10)	-	5,810	(11)	-
Latinx	6,213	(26)	-	6,616	(22)	-	12,980	(24)	-
Asian	846	(4)	-	549	(2)	-	1,410	(3)	-
Native Hawaiian/Pacific Islander	55	(0)	-	45	(0)	-	100	(0)	-
American Indian/Alaskan Native	38	(0)	-	25	(0)	-	64	(0)	-
Other/Multi-race ⁴	2,188	(9)	-	2,988	(10)	-	5,201	(10)	-
Missing ⁴	8,796	(36)	-	14,824	(50)	-	23,893	(44)	-
Service Planning Area									
Antelope Valley [1]	807	(3)	395	1,655	(6)	786	2,485	(5)	599
San Fernando [2]	4,075	(17)	388	5,022	(17)	460	9,203	(17)	430
San Gabriel [3]	2,392	(10)	309	4,008	(14)	487	6,439	(12)	403
Metro [4]	6,744	(28)	1206	4,267	(14)	781	11,168	(21)	1010
West [5]	1,447	(6)	462	1,112	(4)	330	2,577	(5)	397
South [6]	3,738	(15)	779	6,032	(20)	1186	9,871	(18)	999
East [7]	2,553	(11)	413	4,085	(14)	631	6,718	(12)	531
South Bay [8]	2,212	(9)	430	3,081	(10)	565	5,335	(10)	504
Missing ⁴	187	(1)	-	229	(1)	-	425	(1)	-
Total	24,155	(100)	535	29,491	(100)	626	54,221	(100)	588

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena. Data are provisional due to reporting delay.

² Includes missing gender, male-to female-transgender and female-to-male transgender.

³ Rates based on observations less than or equal to 12 are considered unstable (see technical notes).

⁴ Rates cannot be calculated due to a lack of reliable denominator data.

⁵ In the State of California, providers are no longer required to report Chlamydia cases but the reporting requirement for laboratories continues. Thus, race/ethnicity information are not complete and rates cannot be calculated.

Table 4.2. Chlamydia Cases and Rates (per 100,000) by Service Planning Area (SPA) and Health District (HD), Los Angeles County, 2019-2023¹

SPA/HD	2019			2020			2021			2022			2023		
	N	(%)	Rate ^{2,3}	N	(%)	Rate ^{2,4}	N	(%)	Rate ²	N	(%)	Rate ^{2,5}	N	(%)	Rate ^{2,5}
Antelope Valley [1]	2,298	(4)	578	2,256	(5)	539	2,454	(5)	587	2,487	(5)	598	2485	(5)	599
Antelope Valley	2,298	(4)	578	2,256	(5)	539	2,454	(5)	587	2,487	(5)	598	2485	(5)	599
San Fernando [2]	9,555	(15)	425	7,930	(16)	359	8,831	(17)	406	8,962	(17)	417	9,203	(17)	430
East Valley	2,501	(4)	545	1,954	(4)	441	2,201	(4)	508	2,338	(4)	550	2337	(4)	551
Glendale	1,137	(2)	322	910	(2)	264	976	(2)	286	1,063	(2)	315	1070	(2)	318
San Fernando	1,855	(3)	357	1,506	(3)	285	1,680	(3)	320	1,706	(3)	326	1839	(3)	357
West Valley	4,062	(6)	443	3,560	(7)	399	3,974	(7)	453	3,855	(7)	446	3957	(7)	458
San Gabriel [3]	6,908	(11)	415	5,626	(11)	349	6,191	(12)	386	6,014	(11)	378	6,439	(12)	403
Alhambra	1,184	(2)	336	857	(2)	253	898	(2)	267	924	(2)	278	1008	(2)	302
El Monte	2,086	(3)	468	1,783	(4)	424	2,021	(4)	483	1,807	(3)	438	1973	(4)	476
Foothill	1,127	(2)	356	807	(2)	261	949	(2)	309	909	(2)	297	957	(2)	310
Pomona	2,511	(4)	456	2,179	(4)	400	2,323	(4)	428	2,374	(4)	442	2501	(5)	463
Pasadena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metro [4]	10,629	(16)	892	8,535	(17)	761	10,677	(20)	972	11,786	(22)	1089	11,168	(21)	1010
Central	3,510	(5)	959	3,070	(6)	865	3,880	(7)	1121	4,563	(9)	1327	4053	(7)	1142
Hollywood-Wilshire	5,244	(8)	1029	4,040	(8)	843	5,042	(9)	1076	5,542	(10)	1199	5369	(10)	1139
Northeast	1,875	(3)	593	1,425	(3)	495	1,755	(3)	619	1,681	(3)	609	1746	(3)	624
West [5]	2,520	(4)	378	2,063	(4)	310	2,714	(5)	417	2,864	(5)	443	2577	(5)	397
West	2,520	(4)	378	2,063	(4)	310	2,714	(5)	417	2,864	(5)	443	2577	(5)	397
South [6]	10,370	(16)	987	9,086	(18)	894	9,668	(18)	961	9,584	(18)	969	9,871	(18)	999
Compton	2,207	(3)	772	2,114	(4)	762	2,310	(4)	836	2,319	(4)	852	2376	(4)	880
South	2,368	(4)	1202	1,994	(4)	1028	1,994	(4)	1034	2,087	(4)	1099	2108	(4)	1143
Southeast	1,670	(3)	945	1,388	(3)	834	1,500	(3)	913	1,506	(3)	929	1657	(3)	1020
Southwest	4,125	(6)	1055	3,590	(7)	947	3,864	(7)	1037	3,672	(7)	1006	3730	(7)	1004
East [7]	7,413	(11)	561	6,218	(12)	486	6,829	(13)	535	6,498	(12)	515	6,718	(12)	531
Bellflower	1,795	(3)	497	1,551	(3)	433	1,716	(3)	482	1,618	(3)	460	1713	(3)	486
East Los Angeles	1,169	(2)	574	1,003	(2)	515	1,234	(2)	634	1,230	(2)	641	1150	(2)	597
San Antonio	2,761	(4)	644	2,249	(5)	553	2,362	(4)	583	2,267	(4)	566	2496	(5)	621
Whittier	1,688	(3)	516	1,415	(3)	441	1,517	(3)	473	1,383	(3)	436	1359	(3)	426
South Bay [8]	5,494	(8)	503	4,774	(10)	442	5,607	(11)	525	5,208	(10)	494	5,335	(10)	504
Harbor	868	(1)	416	791	(2)	393	933	(2)	471	893	(2)	458	890	(2)	448
Inglewood	3,045	(5)	724	2,585	(5)	628	3,003	(6)	731	2,821	(5)	695	2940	(5)	724
Torrance	1,581	(2)	341	1,398	(3)	299	1,671	(3)	363	1,494	(3)	329	1505	(3)	331
Long Beach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	10,245	(16)	-	3,291	(7)	-	157	(0)	-	166	(0)	-	425	(1)	-
Total	65,432	(100)	679	49,779	(100)	529	53,128	(100)	571	53,569	(100)	583	54,221	(100)	588

¹ Data as of October 7, 2024 and excludes data from the cities of Long Beach and Pasadena.

² Rates based on observations less than or equal to 12 are considered unstable (see technical notes).

³ Rates should be interpreted with caution due to large proportion of missing SPA data.

⁴ Note that the number of reported STIs for 2020 decreased as a result of decreased STI screening and increased use of telemedicine during the COVID-19 Stay at Home Health Officer Order.

⁵ Data are provisional due to reporting delay.

Table 4.3. Chlamydia Cases and Rates (per 100,000) by Gender, Sexual Behavior, Race/Ethnicity, and Service Planning Area (SPA) among Youth (Aged 15-24 Years), Los Angeles County, 2023¹

	15-18 Years Old									19-24 Years Old									15-24 Years Old		
	Male			Female			Total ²			Male			Female			Total ²			Total ²		
	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³	N	(%)	Rate ³
Gender																					
Male	1,058	(100)	436	-	-	-	1,058	(25)	436	5,745	(100)	1,517	-	-	-	5,745	(32)	1,517	6,803	(30)	1,095
Female	-	-	-	3,197	(100)	1,368	3,197	(74)	1,368	-	-	-	12,110	(100)	3,332	12,110	(67)	3,332	15,307	(69)	2,563
Transgender ⁴	-	-	-	-	-	-	<5	-	-	-	-	-	-	-	-	*	*	*	28	(0)	-
Missing ⁴	-	-	-	-	-	-	40	(1)	-	-	-	-	-	-	-	147	(1)	-	187	(1)	-
Race/Ethnicity⁵																					
White	53	(5)	-	148	(5)	-	201	(5)	-	409	(7)	-	614	(5)	-	1,027	(6)	-	1,228	(6)	-
Black	203	(19)	-	439	(14)	-	644	(15)	-	672	(12)	-	1,200	(10)	-	1,879	(10)	-	2,523	(11)	-
Latinx	211	(20)	-	547	(17)	-	760	(18)	-	1,087	(19)	-	2,347	(19)	-	3,455	(19)	-	4,215	(19)	-
Asian	6	(1)	-	25	(1)	-	31	(1)	-	113	(2)	-	188	(2)	-	302	(2)	-	333	(1)	-
Native Hawaiian/Pacific Islander	<5	-	-	*	*	*	7	(0)	-	8	(0)	-	13	(0)	-	21	(0)	-	28	(0)	-
American Indian/Alaskan Native	<5	-	-	<5	-	-	<5	-	-	<5	-	-	<5	-	-	*	*	*	10	(0)	-
Other/Multi-race ⁴	103	(10)	-	312	(10)	-	416	(10)	-	634	(11)	-	1,309	(11)	-	1,955	(11)	-	2,371	(11)	-
Missing ⁴	482	(46)	-	1,717	(54)	-	2,237	(52)	-	2,818	(49)	-	6,435	(53)	-	9,381	(52)	-	11,618	(52)	-
Service Planning Area																					
Antelope Valley [1]	83	(8)	598	272	(9)	2,032	362	(8)	1,327	297	(5)	1,525	750	(6)	4,106	1,056	(6)	2,798	1,418	(6)	2,181
San Fernando [2]	162	(15)	294	522	(16)	995	689	(16)	641	976	(17)	1,186	2,012	(17)	2,635	3,028	(17)	1,909	3,717	(17)	1,397
San Gabriel [3]	123	(12)	289	396	(12)	966	525	(12)	629	679	(12)	994	1,690	(14)	2,595	2,387	(13)	1,789	2,912	(13)	1,343
Metro [4]	83	(8)	387	261	(8)	1,276	348	(8)	831	836	(15)	2,318	1,571	(13)	4,624	2,422	(13)	3,458	2,770	(12)	2,475
West [5]	35	(3)	284	71	(2)	544	107	(2)	421	301	(5)	1,142	442	(4)	1,487	749	(4)	1,336	856	(4)	1,051
South [6]	299	(28)	954	840	(26)	2,716	1,147	(27)	1,842	1,137	(20)	2,305	2,551	(21)	5,341	3,718	(21)	3,829	4,865	(22)	3,053
East [7]	133	(13)	354	437	(14)	1,242	581	(14)	799	793	(14)	1,407	1,738	(14)	3,227	2,563	(14)	2,326	3,144	(14)	1,719
South Bay [8]	131	(12)	462	369	(12)	1,357	501	(12)	902	664	(12)	1,640	1,301	(11)	3,389	1,987	(11)	2,519	2,488	(11)	1,851
Missing ⁴	9	(1)	-	29	(1)	-	38	(1)	-	62	(1)	-	55	(0)	-	118	(1)	-	156	(1)	-
Total	1,058	(100)	436	3,197	(100)	1,368	4,298	(100)	903	5,745	(100)	1,517	12,110	(100)	3,332	18,028	(100)	2,429	22,326	(100)	1,833

¹ Data as of October 7, 2024. Data are provisional due to reporting delay and excludes data from the cities of Long Beach and Pasadena.

² Includes missing gender, male-to-female transgender and female-to-male transgender.

³ Rates based on observations less than or equal to 12 are considered unstable and not displayed (see technical notes).

⁴ Rates cannot be calculated due to a lack of reliable denominator data.

⁵ Rates cannot be calculated due to large proportion of missing race/ethnicity data.

* Indicates secondary or complementary data suppression to protect the confidentiality of the individuals summarized in the data.