

LOS ANGELES COUNTY APPROVED POOL EQUIPMENT LIST

**Los Angeles County - Department of Public Health
Environmental Health – Recreational Waters Program
5050 Commerce Drive
Baldwin Park, CA 91706
(626) 430-5360
Recreational Waters Program Website
http://web1.phapps.lacounty.gov/eh/EP/rw/rw_main.htm
7/18/2018**

This list is an exclusive requirement for pool equipment use in Los Angeles County

DIATOMACEOUS EARTH FILTERS	2
RAPID SAND FILTERS	5
HIGH RATE SAND FILTERS	6
CARTRIDGE FILTERS	15
PUMPS	16
RECESSED AUTOMATIC SKIMMERS	20
FLOWMETERS	21
CHEMICAL CONTROLLERS	21
CHLORINATORS/CHEMICAL FEEDERS	21
CHLORINE GENERATORS	24
GAS CHLORINATORS	25
BROMINATORS	26
DRAIN COVERS	26
FLOOR INLET FITTINGS and SPA SHELLS ..	28
SUPPLEMENTAL EQUIPMENT / MATERIALS	28

DIATOMACEOUS EARTH FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
-------	--------	-----------------------------------

Competition Pool Accessories, Inc. (Formerly Jacuzzi)

EW75	35	2
EW100	45	2
EW125	57.5	2
EW150	70	2

Filtrex Inc.

Regenerative D.E. Media Filter

EC-140	77.3	1.5
EC-145	103.0	1.6
EC-225	165.2	1.6
EC-225S	208.7	1.6
EC-350	277.9	1.6
EC-350S	410.2	1.4
EC-500	410.9	1.6
EC-500S	519.4	1.6
EC-700	559.6	1.6
EC-700S	707.3	1.6
EC-1000	740.5	1.6
EC-1275	935.8	1.6
EC-1400	1119.2	1.6
EC-1675	1216.6	1.4
EC-1675 (short)	1216.6	1.4
EC-2000	1481.0	1.6
EC-2100	1538.8	1.6
EC-2550	1871.6	1.6

Hayward Pool Products, Inc.

[Pro-Grid]

DE2420X	24	2
DE3620X	36	2
DE4820X	48	2
DE6020X	60	2
DE7220X	72	2

Leslie's Swimming Pool Supplies

(Manufactured by Hayward for Leslie's)

DELE42252	36	2
DELE42254	48	2
DELE42256	60	2
DELE42258	72	2

Nemato Corp.

Regenerative D.E. Media Filter

NPC-024-0063	63	2
NPC-024-0063[7]	63	2
NPC-024-0078[7]	78	2
NPC-024-0086[7]	86	2
NPC-024-0080[8]	80	2
NPC-024-0100[8]	100	2
NPC-024-0111[8]	111	2
NPC-030-0070[7]	80	2
NPC-030-0088[7]	88	2
NPC-030-0097[7]	97	2
NPC-030-0108[7]	108	2

NPC-030-0136[7]	136	2
NPC-030-0149[7]	149	2
NPC-030-0138[8]	138	2
NPC-030-0174[8]	174	2
NPC-030-0191[8]	191	2
NPC-034-0093[7]	93	2
NPC-034-0117[7]	117	2
NPC-034-0129[7]	129	2
NPC-034-0139[7]	139	2
NPC-034-0174[7]	174	2
NPC-034-0191[7]	191	2
NPC-034-0177[8]	177	2
NPC-034-0223[8]	223	2
NPC-034-0246[8]	246	2
NPC-042-0158[7]	158	2
NPC-042-0198[7]	198	2
NPC-042-0218[7]	218	2
NPC-042-0215[7]	215	2
NPC-042-0270[7]	270	2
NPC-042-0297[7]	297	2
NPC-042-0275[8]	275	2
NPC-042-0345[8]	345	2
NPC-042-0380[8]	380	2
NPC-048-0231[7]	231	2
NPC-048-0289[7]	289	2
NPC-048-0318[7]	318	2
NPC-048-0288[7]	288	2
NPC-048-0360[7]	360	2
NPC-048-0397[7]	93	2
NPC-048-0369[8]	369	2
NPC-048-0462[8]	462	2
NPC-048-0508[8]	508	2
NPC-054-0307[7]	307	2
NPC-054-0384[7]	384	2
NPC-054-0423[7]	423	2
NPC-054-0372[7]	372	2
NPC-054-0466[7]	466	2
NPC-054-0512[7]	512	2
NPC-054-0476[8]	476	2
NPC-054-0595[8]	595	2
NPC-054-0656[8]	656	2
NPC-060-0380[7]	380	2
NPC-060-0475[7]	475	2
NPC-060-0523[7]	523	2
NPC-060-0475[7]	475	2
NPC-060-0595[7]	595	2
NPC-060-0654[7]	654	2
NPC-060-0609[8]	609	2
NPC-060-0761[8]	761	2
NPC-060-0838[8]	838	2
NPC-066-0460[7]	460	2
NPC-066-0575[7]	575	2
NPC-066-0633[7]	633	2
NPC-066-0645[7]	645	2
NPC-066-0807[7]	807	2
NPC-066-0888[7]	888	2
NPC-066-0826[8]	826	2
NPC-066-1032[8]	1032	2
NPC-066-1136[8]	1136	2
NPC-072-0563[7]	563	2
NPC-072-0704[7]	704	2
NPC-072-0775[7]	775	2
NPC-072-0678[7]	678	2
NPC-072-0848[7]	848	2
NPC-072-0933[7]	933	2
NPC-072-0867[8]	867	2

NPC-072-1084[8]	108	2	12L162	162	2
NPC-072-1194[8]	194	2	12LL264	264	2
NPC-078-0643[7]	643	2	13L175	175	2
NPC-078-0805[7]	805	2	13LL286	286	2
NPC-078-0885[7]	885	2	14L189	189	2
NPC-078-0796[7]	796	2	14LL308	308	2
NPC-078-0996[7]	996	2	15L202	202	2
NPC-078-1096[7]	1096	2	15LL330	330	2
NPC-078-1018[8]	1018	2	16L216	216	2
NPC-078-1275[8]	1275	2	16LL352	352	2
NPC-078-1402[8]	1402	2	17L229	229	2
NPC-084-0758[7]	758	2	17LL374	374	2
NPC-084-0948[7]	948	2	18L243	243	2
NPC-084-1043[7]	1043	2	18LL396	396	2
NPC-084-0930[7]	930	2	19L256	256	2
NPC-084-1163[7]	1163	2	19LL418	418	2
NPC-084-1280[7]	1280	2	20L270	270	2
NPC-084-1190[8]	1190	2	20LL440	440	2
NPC-084-1489[8]	1489	2	21L283	283	2
NPC-084-1638[8]	1638	2	21LL462	462	2
NPC-090-0861[7]	861	2	22L297	297	2
NPC-090-1077[7]	1077	2	22LL484	484	2
NPC-090-1186[7]	1186	2	23L310	310	2
NPC-090-1082[7]	1082	2	23LL506	506	2
NPC-090-1355[7]	1355	2	24L324	324	2
NPC-090-1491[7]	1491	2	24LL528	528	2
NPC-090-1386[8]	1386	2	25L337	338	2
NPC-090-1733[8]	1733	2	25LL550	550	2
NPC-090-1909[8]	1909	2	26L350	350	2
NPC-096-0987[7]	0987	2	26LL572	572	2
NPC-096-1235[7]	1235	2	27L363	363	2
NPC-096-1360[7]	1360	2	27LL594	594	2
NPC-096-1243[7]	1243	2	28L377	377	2
NPC-096-1555[7]	1555	2	28LL616	616	2
NPC-096-1712[7]	1712	2	29L390	390	2
NPC-096-1591[8]	1591	2	29LL638	638	2
NPC-096-1991[8]	1991	2	30L404	404	2
NPC-096-2192[8]	2192	2	30LL660	660	2
			31LL682	682	2
			32LL704	704	2
[1] Certification includes isothalic and vinyl ester resins.			7L94	94	2
[2] Certification is for 100 psi max operating pressure.			8L108	108	2
[3] Certification is for precoating of filter in either closed loop or filter cycle.			9L121	121	2
[4] Certified for Type 1 (< 1500 ppm Sodium Chloride), Type 2 March 1, 2013(1500 - 6000 ppm Sodium Chloride), and Type 3 (> 6000 ppm Sodium Chloride).					
[5] Listed for use with Diatomaceous Earth or Perlite media.			[Tube type Defender D.E. Filters]		
[6] Certification is for slurry feed of filter media during regeneration cycle or dry feed of filter media under vacuum into a filter tank empty of water.			SP-18-24-150	59	1.67
[7] Certification is for backwash flow rates of .85 to 2.0 GPM Per Ft ² or gravity draining. Backwash flow rate is not required to match filter flow rate.			SP-18-30-150	75	1.67
[8] Certification is for backwash flow rates of .66 to 2.0 GPM Per Ft ² or gravity draining. Backwash flow rate is not required to match filter flow rate.			SP-18-48-176	137	1.67
			SP-18-38-150	97	1.67
			SP-24-24-327	129	1.67
			SP-24-30-327	164	1.67
			SP-24-38-327	211	1.67
			SP-27-48-487	381	1.67
			SP-30-24-595	234	1.67
			SP-30-30-595	298	1.67
			SP-30-38-595	383	1.67
			SP-30-42-595	426	1.67
			SP-33-48-732	572	1.67
			SP-36-30-756	379	1.67
			SP-36-38-756	487	1.67
			SP-36-42-756	541	1.67
			SP-41-48-1038	812	1.67
			SP-42-30-1080	541	1.67
			SP-42-38-1080	487	1.67
			SP-42-42-1080	541	1.67
			SP-48-30-1452	727	1.67
<u>Neptune-Benson, Inc</u>					
(Vacuum DE)					
10L135	135	2			
10LL220	220	2			
11L148	148	2			
11LL242	242	2			

SP-48-38-1452	935	1.67
SP-48-42-1452	1039	1.67
SP-49-48-1548	1211	1.67
SP-54-30-1996	1000	1.67
SP-54-38-1996	1285	1.67
SP-54-42-1996	1428	1.67
SP-55-48-2076	1625	1.67
SP-60-30-2460	1232	1.67
SP-60-38-2460	1584	1.67
SP-60-42-2460	1760	1.67

Paddock Pool Equipment Co. Inc.
Regenerative D.E. Media Filter

PPEC-140	77.3	1.5
PPEC-145	103.0	1.6
PPEC-225	165.2	1.6
PPEC-225S	208.7	1.6
PPEC-350	277.9	1.6
PPEC-350S	410.2	1.4
PPEC-500	410.9	1.6
PPEC-500S	519.4	1.6
PPEC-700	559.6	1.6
PPEC-700S	707.3	1.6
PPEC-1000	740.5	1.6
PPEC-1275	935.8	1.6
PPEC-1400	1119.2	1.6
PPEC-1675	1216.6	1.4
PPEC-1675 (short)	1216.6	1.4
PPEC-2000	1481.0	1.6
PPEC-2100	1538.8	1.6
PPEC-2550	1871.6	1.6

Pentair Pool Products Inc. (Pac Fab Inc.)

[Nautilus FNS]		
FNS-24	24	2
FNS-36	36	2
FNS-48	48	2
FNS-60	60	2

[FNS Plus]		
FNSP36	36	2
FNSP48	48	2
FNSP60	60	2

[Quad Series]		
QUAD 60	60	2
QUAD 80	80	2
QUAD 100	100	2

[Nautilus]		
NS24	24	2
NS36	36	2
NS48	48	2
NS60	60	2
NS72	72	2

[Nautilus Plus]		
NSP36	36	2
NSP48	48	2
NSP60	60	2
NSP72	72	2

[SM/SM 2000 Series]

SM-2024	24	2
SM-2036	36	2
SM-2048	48	2
SM-2060	60	2
SM-2072	72	2
SM-4024	24	2
SM-4036	36	2
SM-4048	48	2

[SMBW Series]

SMBW-2024	23	2
SMBW-2036	35	2
SMBW-2048	47	2
SMBW-2060	58	2
SMBW-2072	70	2
SMBW-4024	24	2
SMBW-4036	36	2
SMBW-4048	48	2

[Titian RPM series]

56623300	30	2
56623400	40	2
56623500	50	2

Sta-Rite Industries Inc.
(parent company Pentair)

[System 2]

PLD50	30	2
PLD70	36	1.94

[System 3]

S7D75	37	2
S7MD60	60	2
S7MD72	72	2
S8D110	53	2

United Industries Inc.

PCT 150	128	2
PCT 200	173	2
PCT 300	255	2
PCT 400	339	2
PCT 600	510	2

Waterway (B & S Plastics)

570-0024	24	2
570-0036	36	2
570-0048	48	2
570-0060	60	2

Whitten Products

[Vacuum DE]

WDE-250	250	1
WDE-300	300	1
WDE-350	350	1
WDE-400	400	1
WDE-450	450	1
WDE-500	500	1
WDE-600	600	1
WDE-700	700	1
WDE-800	800	1
WDE-900	900	1.5

WDE-1000	1000	1.5	84-TRF	115.5	3
			90-TRF	132.6	3
<u>Zodiac Pool Systems, Inc. (Jandy Pool Products)</u>			96-TRF	150.9	3
DEL48	48	2	(1 Tank 2 Cells Tank)		
DEV48	48	2	42-SDC	19.2	3
DEL60	60	2	48-SDC	25.1	3
DEV60	60	2	54-SDC	31.8	3
			60-SDC	39.3	3
			66-SDC	47.5	3
			72-SDC	56.5	3
			78-SDC	66.4	3
			84-SDC	77.0	3
<u>RAPID SAND FILTERS</u>					
Model	Sq.Ft.	Maximum flow rate gpm/sq.ft.	(1 Tank 3 Cells/Tank)		
<u>Neptune-Benson, Inc</u>			42-STC	28.9	3
(1 Tank Single Cell)			48-STC	37.8	3
102-SRF	56.8	3	54-STC	47.7	3
108-SRF	63.6	3	60-STC	58.8	3
114-SRF	70.9	3	66-STC	71.4	3
120-SRF	70.9	3	72-STC	84.9	3
36-SRF	7.1	3	78-STC	99.6	3
42-SRF	9.6	3	84-STC	115.5	3
48-SRF	12.6	3	(2 Tanks in Series 2 Cells/Tank)		
54-SRF	15.9	3	42-DDC	38.4	3
60-SRF	19.6	3	48-DDC	50.2	3
66-SRF	23.8	3	54-DDC	60.6	3
72-SRF	28.3	3	60-DDC	78.6	3
78-SRF	33.2	3	66-DDC	95.0	3
84-SRF	38.5	3	72-DDC	113.0	3
90-SRF	44.2	3	78-DDC	132.8	3
96-SRF	50.3	3	84-DDC	154.0	3
(2 Tanks in Series Single Cell)			(2 Tanks in Series 3 Cells/Tank)		
102-DRF	113.6	3	42-DTC	57.8	3
108-DRF	127.2	3	48-DTC	75.6	3
114-DRF	141.8	3	54-DTC	95.4	3
120-DRF	157.0	3	60-DTC	117.6	3
36-DRF	14.1	3	66-DTC	142.8	3
42-DRF	19.2	3	72-DTC	169.8	3
48-DRF	25.1	3	78-DTC	199.2	3
54-DRF	31.8	3	84-DTC	231.0	3
60-DRF	39.3	3	(3 Tanks in Series 2 Cells/Tank)		
66-DRF	47.5	3	42-TDC	57.6	3
72-DRF	56.5	3	48-TDC	75.3	3
78-DRF	66.4	3	54-TDC	95.4	3
84-DRF	77.0	3	60-TDC	117.9	3
90-DRF	88.4	3	66-TDC	142.5	3
96-DRF3	100.5	3	72-TDC	169.5	3
(3 Tanks in Series Single Cell)			78-TDC	199.2	3
102-TRF	170.4	3	84-TDC	231.0	3
108-TRF	190.8	3	(3 Tanks in Series 3 Cells/Tank)		
114-TRF	212.7	3	42-TTC	86.7	3
120-TRF	235.5	3	48-TTC	113.4	3
36-TRF	21.2	3	54-TTC	143.1	3
42-TRF	29.8	3	60-TTC	176.4	3
48-TRF	37.8	3	66-TTC	214.2	3
54-TRF	47.7	3	72-TTC	254.7	3
60-TRF	58.8	3	78-TTC	298.8	3
66-TRF	71.4	3	84-TTC	346.5	3
72-TRF	84.9	3			
78-TRF	99.6	3			

Paddock Pool Equipment Co. Inc.

6701		
60XX	Varies with model number. See NSF listing. Max flow 3 gpm/sq. ft.	
61XX		
67XX		

Whitten Products

[Vacuum Filters]

1U-1C-X	Varies with model number. See NSF listing. Maximum flowrate 3 gpm/sq.ft	
1U-2C-X		
1U-3C-X		

HIGH RATE SAND FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
-------	--------	-----------------------------

Astral Products Inc.

06632	21.64	15
06633	27.34	20
06634	33.80	20
06635	9.26	15
06676	12.16	10
06677	16.58	10
06678	27.34	10
06679	33.80	10
06680	12.16	15
06681	16.58	20
06682	9.26	20
06683	12.16	20
06684	21.64	20
06804	9.26	20
06805	12.16	20
27802	4.75	20
27803	6.84	20
27857	6.84	20

[Horizontal]

07129	53	20
05110	75	20
11319	21	20
11325	26	20
11330	30	20
20895	34	20
20896	24	20
20897	29	20
20898	34	20
20899	38	20
20900	32	20
20901	37	20
20902	46	20
20903	51	20

Baker Hydro

F3-24-63	3.1	20
HRV-24	3.1	20
HRV-30	4.9	20
HRV-36	7.0	20

Competition Pool Accessories, Inc. (formerly Jacuzzi)

ST-24	3.0	20
ST-27	4.0	20
ST-33	6.0	20
TM26	3.75	20
TM31	4.8	20

EPD USA Inc. (See NSF Listing)

34-13.5 FRP Series		
EPD XFXX (Multiples of 13.5 ft ²)	13.5	20
34-17 FRP Series		
EPD XFXX (Multiples of 17 ft ²)	17.0	20
42-20 FRP Series		
EPD XFXX (Multiples of 20 ft ²)	20.0	20
Steel Series		
EPD X-XX	Varies	20

Eureka Manufacturing Co. Inc.

HRG 48	12.6	15
HRL 48	12.6	20
HRL 54	15.9	20
HRL 60	19.6	20
HRL 66	23.7	20
HRL 72	28.3	20
HRL 78	33.2	20
HRL 84	38.5	20
HRL 90	44.2	20
HRL 248	25.2	20
HRL 254	31.8	20
HRL 260	39.2	20
HRL 266	47.4	20
HRL 272	56.6	20
HRL 278	66.4	20
HRL 284	77.0	20
HRL 290	88.4	20
HRL 296	110.6	20
HRL 2102	113.4	20
HRL 2108	127.2	20
HRL 2120	157	20

(NSF listed units begin with serial number N1250)

Fluidra USA

[Aster Series Vertical]

16451-X	6.77	20
27802-X	4.75	20
27803-X	6.77	20
27857-X	6.77	20
28342-X	3.14	20
28342-S3	3.22	20
61384U-0100	4.75	20
61385U-0100	7.10	20
66709-S3	7.69	20
66710-S3	7.69	20
66711-S3	7.69	20

[Eko3 Series Horizontal]

EKO34135-XXX-T	13.5	20
EKO34153-XXX-T	15.3	20
EKO42157-XXX-T	15.7	20
EKO34175-XXX-T	17.5	20

EKO42175-XXX-T	17.5	20			
EKO34193-XXX-T	19.3	20			
EKO42210-XXX-T	21	20			
EKO42230-XXX-T	23	20			
EKO34237-XXX-T	23.7	20			
EKO48240-XXX-T	24	20			
EKO42260-XXX-T	26	20			
EKO42300-XXX-T	30	20			
EKO63320-XXX-T	32	20			
EKO42340-XXX-T	34	20			
EKO48340-XXX-T	34	20			
EKO63370-XXX-T	37	20			
EKO42380-XXX-T	38	20			
EKO48380-XXX-T	38	20			
EKO63410-XXX-T	41	20			
EKO42420-XXX-T	42	20			
EKO48440-XXX-T	44	20			
EKO42450-XXX-T	45	20			
EKO63460-XXX-T	46	20			
EKO42480-XXX-T	48	20			
EKO48480-XXX-T	48	20			
EKO63510-XXX-T	51	20			
[Poltank Series Vertical]					
340608-XXX-XX-X	6.08	20			
420926-XXX-XX-X	9.26	20			
471216-XXX-XX-X	12.16	20			
551658-XXX-XX-X	16.58	20			
632164-XXX-XX-X	21.64	20			
712734-XXX-XX-X	27.34	20			
793380-XXX-XX-X	33.80	20			
864030-XXX-XX-X	40.30	20			
934672-XXX-XX-X	46.72	20			
<u>Hayward Pool Products, Inc.</u>					
HCF230	5.01	20			
HCF234	5.86	20			
HCF236	7.14	20			
HCF302	4.75	20			
HCF362	6.77	20			
HCF363	6.77	20			
HCF302T	4.9	20			
HCF342T	6.3	20			
HCF343F	6.3	20			
HCF343T	6.3	20			
HCF362T	7.2	20			
HCF363F	7.2	20			
HCF363T	7.2	20			
S-160T	1.4	20			
S-180T	1.7	20			
S-200	2.2	20			
S-210-S	2.2	20			
S-210T	2.2	20			
S-220S	2.6	20			
S-220T	2.6	20			
S-230TPL	2.6	20			
S-240	3.1	20			
S-244SX	3.1	20			
S-244T	3.1	20			
S-310SX	4.9	20			
S-310T	4.9	20			
S-311SX	4.9	20			
S-360SX	6.7	20			
<u>Hydrokleen Systems Inc.</u>					
			90-S-8146-2 20	5.6	20
			S2-8146-3 20	11.2	20
			S3-8146-4 20	16.8 2	0
			S4-8146-6 20	22.4	20
			S5-8146-6 20	28	20
			S6-8146-6 20	33.6	20
			90-S-8161-3 20	7.1	20
			S2-8161-3 20	14.2	20
			S3-8161-4 20	21.3	20
			S4-8161-6 20	28.4	20
			S5-8161-6 20	35.5	20
			S6-8161-6 20	42.6	20
			90-S-9746-3 20	7.4	20
			S2-9746-4 20	14.8	20
			S3-9746-6 20	22.2	20
			S4-9746-6 20	29.6	20
			S5-9746-8 20	37	20
			S6-9746-8 20	44.4	20
			90-S-8191-3 20	9.8	20
			S2-8191-4 20	19.6	20
			S3-8191-6 20	29.4	20
			S4-8191-6 20	39.2	20
			S5-8191-8 20	49	20
			S6-8191-8 20	58.8	20
			90-S-9791-4 20	12.2	20
			S2-9791-4 20	24.4	20
			S3-9791-6 20	36.6	20
			S4-9791-6 20	48.8	20
			S5-9791-8 20	61	20
			S6-9791-8 20	73.2	20
			90-S-81122-4 20	12.4	20
			S2-81122-6 20	24.8	20
			S3-81122-6 20	37.2	20
			S4-81122-8 20	49.6	20
			S5-81122-8 20	62	20
			S6-81122-10 20	74.4	20
			90-S-97122-4 20	15.3	20
			S2-97122-6 20	30.6	20
			S3-97122-6 20	45.9	20
			S4-97112-8 20	61.2	20
			S5-97122-10 20	76.5	20
			S6-97122-10 20	91.8	20
			90-S-81152-4 20	15.2	20
			S2-81152-6 20	30.4	20
			S3-81152-6 20	45.6	20
			S4-81152-8 20	60.8	20
			S5-81152-1020	76	20
			S6-81152-10 20	91.2	20
			90-S-97152-4 20	18.4	20
			S2-97152-6 20	36.8	20
			S3-97152-8 20	55.2	20
			S4-97152-10 20	73.6	20
			S5-97152-12 20	92	20
			S6-97152-12 20	110.4	20
			<u>Leslie's Swimming Pool Supplies</u> (Manufactured by Hayward for Leslie's)		
			SELE42082	2.2	20
			SELE42804	3.1	20
			SELE42086	4.9	20
			<u>Miami Tank Mfg. Company</u>		
			[Horizontal]		
			HH361-4	13.5	20

HH362-4	27.0	20	EKO-60-550-X	55	20
HH363-6	40.5	20	EKO-60-600-X	60	20
HH363-8	40.5	20	EKO-60-650-X	65	20
HH364-6	54.0	20	EKO-60-700-X	70	20
HH364-8	54.0	20	EKO-60-750-X	75	20
HH365-6	67.5	20	EKO-60-800-X	80	20
HH365-8	67.5	20			
HH366-6	81.0	20	[NFS series]		
HH366-8	81.0	20	NFS-102-050-567V-D-X	56.7	20
HH366-10	81.0	20	NFS-108-050-635V-D-X	63.5	20
HH367-8	94.5	20	NFS-114-050-708V-D-X	70.8	20
HH367-10	94.5	20	NFS-120-050-785V-D-X	78.5	20
HH368-10	108.0	20	NFS-30-050-049V-D-X	4.9	20
HH421-4	27.0	20	NFS-30-050-049V-S-X	4.9	20
HH422-8	54.0	20	NFS-34-050-063V-D-X	6.3	20
			NFS-34-050-063V-S-X	6.3	20
[Vertical Side Mount]			NFS-42-050-096V-D-X	9.6	20
SFV36	7.1	20	NFS-42-050-096V-S-X	9.6	20
SFV42	9.6	20	NFS-48-050-126V-D-X	12.6	20
SFV48	12.6	20	NFS-48-050-126V-S-X	12.6	20
SFV54	15.9	20	NFS-54-050-159V-D-X	15.9	20
SFV60	19.6	20	NFS-54-050-159V-S-X	15.9	20
SFV66	23.7	20	NFS-60-050-196V-D-X	19.6	20
SFV72	28.1	20	NFS-66-050-237V-D-X	23.7	20
SFV78	33.2	20	NFS-72-050-282V-D-X	28.2	20
SFV84	38.5	20	NFS-78-050-332V-D-X	33.2	20
SFV90	44.2	20	NFS-84-050-385V-D-X	38.5	20
SFV96	50.3	20	NFS-90-050-442V-D-X	44.2	20
SFV102	56.7	20	NFS-96-050-502V-D-X	50.2	20
SFV108	63.6	20	NFS-30-2-049-T	4.9	20
SFV114	76.9	20	NFS-34-2-063-T	6.3	20
SFV120	78.5	20	NFS-34-3-063-F	6.3	20
SFV248	25.2	20	NFS-34-3-063-T	6.3	20
SFV254	31.8	20	NFS-36-2-072-T	7.2	20
SFV260	39.2	20	NFS-36-3-072-F	7.2	20
SFV266	47.4	20	NFS-36-3-072-T	7.2	20
SFV272	56.6	20			
SFV278	66.4	20	<u>Neptune-Benson, Inc</u>		
SFV284	77.0	20	(1 Tank Single Cell)		
SFV290	88.4	20	114-SRF	70.9	20
SFV296	100.6	20	120-SRF	78.5	20
SFV2102	113.14	20	36-SRF	7.1	17
SFV2108	127.2	20	36-SRF-EB	7.1	15
SFV2114	141.8	20	42-SRF	9.6	20
SFV2120	157.0	20	42-SRF-EB	9.6	15
			48-SRF	12.6	20
<u>Nemato Corp.</u>			48-SRF-EB	12.6	15
[EK03 series]			54-SRF	15.9	20
EKO-34-100-X	10	20	54-SRF-EB	15.9	15
EKO-34-126-X	12.6	20	60-SRF	19.6	20
EKO-34-153-X	15.3	20	60-SRF-EB	19.6	15
EKO-34-193-X	19.3	20	66-SRF	23.8	20
EKO-34-237-X	23.7	20	66-SRF-EB	23.8	15
EKO-42-200-X	20	20	72-SRF	28.3	20
EKO-42-225-X	22.5	20	72-SRF-EB	28.3	15
EKO-42-250-X	25	20	78-SRF	33.2	20
EKO-42-275-X	27.5	20	78-SRF-EB	33.2	15
EKO-42-310-X	31	20	84-SRF	38.5	20
EKO-42-360-X	36	20	84-SRF-EB	38.5	15
EKO-42-410-X	41	20	90-SRF	44.2	20
EKO-42-460-X	46	20	90-SRF-EB	44.2	15
EKO-60-350-X	35	20	96-SRF	50.3	20
EKO-60-400-X	40	20	96-SRF-EB	50.3	15
EKO-60-450-X	45	20			
EKO-60-500-X	50	20	(2 Tanks in Series Single Cell)		

102-DRF	113.6	20	72-SDC	56.5	20
102-DRF-EB	113.6	15	78-SDC	66.4	20
108-DRF	127.2	20	84-SDC	77.0	20
114-DRF	141.8	20	90-SDC	88.4	20
120-DRF	157.0	20	96-SDC	100.5	20
36-DRF	14.1	17			
36-DRF-EB	14.1	15	(1 Tank 3 Cells/Tank)		
42-DRF	19.2	20	102-STC	170.4	20
42-DRF-EB	19.2	15	108-STC	190.8	20
48-DRF	25.1	20	114-STC	212.7	14
48-DRF-EB	25.1	15	120-STC	235.6	13
54-DRF	31.8	20	36-STC	21.2	20
54-DRF-EB	31.8	15	42-STC	28.9	20
60-DRF	39.3	20	48-STC	37.8	20
60-DRF-EB	39.3	15	54-STC	47.7	20
66-DRF	47.5	20	60-STC	58.8	20
66-DRF-EB	47.5	15	66-STC	71.4	20
72-DRF	56.5	20	72-STC	84.9	20
72-DRF-EB	56.5	15	78-STC	99.6	20
78-DRF	66.4	20	84-STC	115.5	20
78-DRF-EB	66.4	15	90-STC	132.6	20
84-DRF	77.0	20	96-STC	150.9	20
84-DRF-EB	77.0	15			
84-DRF-EB	77.0	15	(2 Tanks in Series 2 Cells/Tank)		
96-DRF-EB	100.5	15	102-DDC	227.2	20
			108-DDC	254.4	20
(3 Tanks in Single Series Cell)			114-DDC	283.6	14
102-TRF	170.4	20	120-DDC	314.0	13
102-TRF-EB	170.4	15	36-DDC	28.2	20
108-TRF	190.8	20	42-DDC	38.4	20
114-TRF	212.7	20	48-DDC	50.2	20
120-TRF	235.5	20	54-DDC	63.6	20
36-TRF	21.2	17	60-DDC	78.6	20
36-TRF-EB	21.2	15	66-DDC	95.0	20
42-TRF	29.8	20	72-DDC	113.0	20
42-TRF-EB	29.8	15	78-DDC	132.8	20
48-TRF	37.8	20	84-DDC	154.0	20
48-TRF-EB	37.8	15	90-DDC	176.8	20
54-TRF	47.7	20	96-DDC	201.0	20
54-TRF-EB	47.7	15			
60-TRF	58.8	20	(2 Tanks in Series 3 Cells/Tank)		
60-TRF-EB	58.8	15	102-DTC	340.8	20
66-TRF	71.4	20	108-DTC	381.6	20
66-TRF-EB	71.4	15	114-DTC	425.4	14
72-TRF	84.9	20	120-DTC	471.0	13
72-TRF-EB	84.9	15	36-DTC	42.4	20
78-TRF	99.6	20	42-DTC	57.6	20
78-TRF-EB	99.6	15	48-DTC	75.6	20
84-TRF	115.5	20	54-DTC	95.4	20
84-TRF-EB	115.5	15	60-DTC	117.6	20
90-TRF	132.6	20	66-DTC	142.8	20
90-TRF-EB	132.6	15	72-DTC	169.8	20
96-TRF	150.9	20	78-DTC	199.2	20
96-TRF-EB	150.9	15	84-DTC	231.0	20
			90-DTC	265.2	20
(1 Tank 2 Cells/Tank)			96-DTC	301.8	20
102-SDC	113.6	20			
108-SDC	127.2	20	(3 Tanks in Series 2/Cells Tank)		
114-SDC	141.8	14	102-TDC	340.8	20
120-SDC	157.0	13	108-TDC	381.6	20
36-SDC	14.1	20	114-TDC	425.4	14
42-SDC	19.2	20	120-TDC	471.0	13
48-SDC	25.1	20	36-TDC	42.3	20
54-SDC	31.8	20	42-TDC	57.6	20
60-SDC	39.3	20	48-TDC	75.6	20
66-SDC	47.5	20	54-TDC	95.4	20

60-TDC	117.6	20	4848-SHF	19.7	20
66-TDC	142.8	20	4860-SHF	23.7	20
72-TDC	169.8	20	4872-SHF	27.7	20
78-TDC	199.2	20	4884-SHF	31.7	20
84-TDC	231.0	20	4896-SHF	35.7	20
90-TDC	265.2	20	48108-SHF	39.7	20
96-TDC	301.8	20	48120-SHF	43.7	20
			48132-SHF	47.7	20
(3 Tanks in Series 3/Cells Tank)			48144-SHF	51.7	20
102-TTC	511.2	20	48156-SHF	55.7	20
108-TTC	572.4	20	48168-SHF	59.7	20
114-TTC	638.1	14	48180-SHF	63.7	20
120-TTC	706.5	13	48192-SHF	67.7	20
36-TTC	63.9	20	48204-SHF	71.7	20
42-TTC	86.4	20	48216-SHF	75.7	20
48-TTC	113.4	20	6048-SHF	30.82	20
54-TTC	143.1	20	6060-SHF	35.85	20
60-TTC	176.4	20	6072-SHF	40.82	20
66-TTC	214.2	20	6084-SHF	45.82	20
72-TTC	254.7	20	6096-SHF	50.82	20
78-TTC	298.8	20	60108-SHF	55.82	20
84-TTC	346.5	20	60120-SHF	60.82	20
90-TTC	397.8	20	60132-SHF	65.82	20
96-TTC	452.7	20	6044-SHF	70.82	20
			60156-SHF	75.82	20
(Horizontal)			60168-SHF	80.82	20
3448-SHF	12.6	20			
3454-SHF	14	20	Compact Style Filter		
3460-SHF	15.4	20	30CC	4.8	20
3466-SHF	16.8	20	36CC	6.6	20
3472-SHF	18.2	20	42CC	9.0	20
3478-SHF	19.6	20	48CC	11.8	20
3484-SHF	21	20			
3490-SHF	22.4	20			
3496-SHF	23.8	20	Number may precede model number and indicates the number of tanks in series		
34102-SHF	25.2	20			
34108-SHF	26.6	20	<u>Paddock Pool Equipment Co. Inc.</u>		
34114-SHF	28	20	[Pressure]		
34120-SHF	29.4	20	6701	3.1	15
36108-SHF	29.3	20	6702	4.9	15
36120-SHF	32.3	20	6703	7.1	15
36132-SHF	35.3	20	6704	9.6	15
36144-SHF	38.3	20	6722	9.8	15
36156-SHF	41.3	20	6705	12.5	15
36168-SHF	44.3	20	6723	14.1	15
36180-SHF	47.3	20	6706	15.9	20
3648-SHF	14.3	20	6724	19.2	20
3660-SHF	17.3	20	6707	19.6	20
3672-SHF	20.3	20	6708	23.8	20
3684-SHF	23.3	20	6725	25.1	20
3696-SHF	26.3	20	6709	28.2	20
42108-SHF	34.6	20	6727	39.2	20
42120-SHF	38.1	20	6726	31.8	20
42132-SHF	41.6	20	6710	33.2	20
42144-SHF	45.1	20	6711	38.4	20
4248-SHF	17.1	20	6727	39.2	20
4260-SHF	20.4	20	6712	44.1	20
4272-SHF	23.9	20	6728	47.6	20
4284-SHF	27.4	20	6713	50.2	20
4296-SHF	30.9	20	6729	56.5	20
42156-SHF	48.6	20	6714	56.7	20
42168-SHF	52.1	20	6715	63.6	20
42180-SHF	55.6	20	6720	66.4	20
42192-SHF	59.1	20	6716	70.8	20
42204-SHF	62.6	20	6731	76.9	20
42116-SHF	66.1	20			

6717	78.5	20	6723-H-4-1C	14	20
6732	88.3	20	6724-H-4-1C	16.5	20
6733	100.5	20	6725-H-4-1C	19.15	20
6734	113.4	20	6723-H-6-1C	20	20
6735	127.2	20	6724-H-6-1C	23.5	20
6736	141.7	20	6725-H-6-1C	27.15	20
6737	157	20	6726-H-6-1C	31	20
			6727-H-6-1C	34.87	20
[Pressure Vertical Filters]			6728-H-6-1C	38.83	20
6720-V	3.1	20	6729-H-6-1C	43	20
6722-V	4.9	20	6730-H-6-1C	47.19	20
6723-V	7	20	6723-H-8-1C	26	20
6724-V	9.6	20	6724-H-8-1C	30.5	20
6725-V	12.5	20	6725-H-8-1C	35.15	20
6726-V	15.9	20	6726-H-8-1C	40	20
6727-V	19.6	20	6727-H-8-1C	44.87	20
6728-V	23.8	20	6728-H-8-1C	49.83	20
6729-V	28.2	20	6729-H-8-1C	55	20
6730-V	33.2	20	6730-H-8-1C	60.19	20
6731-V	38.4	20	6731-H-8-1C	65.42	20
6732-V	44.1	20	6732-H-8-1C	70.8	20
6733-V	50.2	20	6733-H-8-1C	76.25	20
6734-V	56.7	20	6723-H-10-1C	32	20
6735-V	63.6	20	6724-H-10-1C	37.5	20
6736-V	70.8	20	6725-H-10-1C	43.15	20
6737-V	78.5	20	6726-H-10-1C	49	20
			6727-H-10-1C	54.87	20
[Horizontal Pressure Filters]			6728-H-10-1C	60.83	20
6723-H-8-2C	26.5	20	6729-H-10-1C	67	20
6724-H-8-2C	29	20	6730-H-10-1C	73.19	20
6725-H-8-2C	33	20	6731-H-10-1C	79.42	20
6726-H-8-2C	38	20	6732-H-10-1C	85.8	20
6727-H-8-2C	43	20	6733-H-10-1C	92.25	20
6728-H-8-2C	48	20	6723-H-5-1C	17	20
6729-H-8-2C	53	20	6724-H-5-1C	20	20
6730-H-8-2C	59	20	6725-H-5-1C	23.15	20
6731-H-8-2C	65	20	6726-H-5-1C	26.5	20
6732-H-8-2C	70	20	6727-H-5-1C	29.87	20
6733-H-8-2C	76	20	6723-H-12-1C	38	15
6734-H-8-2C	82	20	6724-H-12-1C	44.5	15
6735-H-8-2C	88	20	6725-H-12-1C	51.15	15
6737-H-8-2C	99	20	6726-H-12-1C	58	15
6723-H-10-2C	31	20	6727-H-12-1C	64.87	15
6724-H-10-2C	36	20	6728-H-12-1C	71.83	15
6725-H-10-2C	43	20	6729-H-12-1C	79	15
6726-H-10-2C	49	20	6730-H-12-1C	86.19	15
6727-H-10-2C	55	20	6731-H-12-1C	93.42	15
6728-H-10-2C	61	20	6732-H-12-1C	100.8	15
6729-H-10-2C	67	20	6733-H-12-1C	108.25	15
6730-H-10-2C	73	20	6723-H-7-1C	23.0	15
6731-H-10-2C	79	20	6724-H-7-1C	27.0	15
6732-H-10-2C	86	20	6725-H-7-1C	31.15	15
6733-H-10-2C	93	20	6726-H-7-1C	35.5	15
6734-H-10-2C	99	20	6727-H-7-1C	39.87	15
6735-H-10-2C	106	20	6728-H-7-1C	44.33	15
6723-H-6-2C	20	20	6729-H-7-1C	49.0	15
6724-H-6-2C	22	20	6730-H-7-1C	53.69	15
6725-H-6-2C	25	20	6731-H-7-1C	58.42	15
6726-H-6-2C	29	20	6723-H-9-1C	29.0	15
6727-H-6-2C	33	20	6724-H-9-1C	34.0	15
6728-H-6-2C	37	20	6725-H-9-1C	39.15	15
6729-H-6-2C	41	20	6726-H-9-1C	44.5	15
6730-H-6-2C	45	20	6727-H-9-1C	49.87	15
6731-H-6-2C	49	20	6728-H-9-1C	55.33	15
6732-H-6-2C	53	20	6729-H-9-1C	61.0	15
6733-H-6-2C	57	20	6730-H-9-1C	66.69	15

6731-H-9-1C	72.42	15
6732-H-9-1C	78.3	15
6733-H-9-1C	84.25	15
6723-H-11-1C	35.0	15
6724-H-11-1C	41.0	15
6725-H-11-1C	47.15	15
6726-H-11-1C	53.5	15
6727-H-11-1C	59.87	15
6728-H-11-1C	66.33	15
6729-H-11-1C	73.0	15
6730-H-11-1C	79.69	15
6731-H-11-1C	86.42	15
6732-H-11-1C	93.3	15
6733-H-11-1C	100.25	15

[Horizontal Fiberglass Pressure]

HZF-3415	15	15
HZF-3430[9]	30	15
HZF-4225	25	15
HZF-4250[9]	50	15
HZF-4828.5	28.5	15
HZF-4857[9]	57	15
HZF-6035	35	15
HZF-6040	40	15
HZF-3216.5	16.5	15
HZF-3233	33	15
HZF-3416.5	16.5	15
HZF-3433[9]	33	15
HZF-3620	20	15
HZF-3623	23	15
HZF-3625	25	15
HZF-3640[9]	40	15
HZF-3646	46	15
HZF-3650	50	15
HZF-4224	24	15
HZF-4227	27	15
HZF-4230	28	15
HZF-4233	33	15
HZF-4235	35	15
HZF-4248	48	15
HZF-4254[9]	54	15
HZF-4260[9]	56	15
HZF-4266[9]	66	15
HZF-4270[9]	70	15
HZF-4823	23	15
HZF-4825	25	15
HZF-4830	30	15
HZF-4834	34	15
HZF-4837	37	15
HZF-4842	42	15
HZF-4846[9]	46	15
HZF-4850[9]	50	15
HZF-4860	60	15
HZF-4868[9]	68	15
HZF-4874[9]	74	15
HZF-4884[9]	84	15
HZF-4892	92	15
HZF-48100[9]	100	15
HZF-6035	35	15
HZF-6040	40	15
HZF-6046	46	15
HZF-6052	52	15
HZF-6060	60	15
HZF-6067	67	15
HZF-6070[9]	70	15
HZF-6080	80	15

HZF-6092	92	15
HZF-60104[9]	104	15
HZF-60120	120	15
HZF-60134[9]	134	15

[8] Certified for freshwater/saltwater applications with Type 1 (<1500 ppm sodium chloride), Type 2 (1500-6000 ppm sodium chloride), and Type 3 (>6000 ppm sodium chloride) Water Applications.

[9] Stacked tank unit.

[Vacuum Filter]

6740-1520	20	15
6740-2020	20	20
6740-1525	25	15
6740-2025	25	20
6745-1530	30	15
6745-2030	30	20
6745-1535	35	-15
6745-2035	35	20
6750-1540	40	15
6750-2040	40	20
6750-1542	42	15
6750-2042	42	20
6750-1550	50	15
6750-2050	50	20
6750-1560	60	15
6750-2060	60	20
6755-1565	65	15
6755-2065	65	20
6755-1575	75	15
6755-2075	75	20
6755-1585	85	15
6755-2085	85	20
6760-1590	90	15
6760-2090	90	20
6760-15100	100	15
6760-20100	100	20
6760-15110	110	15
6760-20110	110	20
6765-15115	115	15
6765-20115	115	20
6765-15125	125	15
6765-20125	125	20
6765-15135	135	15
6765-20135	135	20
6770-15140	140	15
6770-20140	140	20
6770-15150	150	15
6770-20150	150	20
6770-15160	160	15
6770-20160	160	20
6770-15170	170	15
6770-20170	170	20
6770-15180	180	15
6770-20180	180	20
6780-15190	190	15
6780-20190	190	20
6780-15200	200	15
6780-20200	200	20
6780-15210	210	15
6780-20210	210	20
6780-15220	220	15
6780-20220	220	20
6780-15230	230	15
6780-20230	230	20

6785-15240	240	15	6514	56.7	20
6785-20240	240	20	6515	63.6	20
6785-15250	250	15	6516	70.8	20
6785-20250	250	20	6517	78.5	20
6785-15260	260	20			
6785-20260	260	20	[Vacuum Sand Filter]		
9790-1515	15	15	BP-30	30	15
9790-2015	15	20			
9792-1520	20	15	<u>Paragon Aquatics / Stark Aquatic</u>		
9792-2020	20	20			
9792-1525	25	15	RS-60	13.5	20
9792-2025	25	20	RS-72-X	17.2	20
9792-1530	30	15	SS-48-X	13.5	20
9792-2030	30	20	SS-72-X	20.0	20
9792-1535	35	15	SS-96-X	27.0	20
9792-2035	35	20	5S30-X	30.0	20
9794-1540	40	15	5S35-X	35.0	20
9794-2040	40	20	5S40-X	40.0	20
9794-1542	42	15	5S45-X	45.0	20
9794-2042	42	20	5S50-X	50.0	20
9794-1545	45	15			
9794-2045	45	20	<u>Pentair Pool Products Inc. (Pac Fab Inc.)</u>		
9794-1550	50	15	[Eclipse]		
9794-2050	50	20	58920100	3.5	20
9794-1555	55	15	58920200	4.6	20
9794-2055	55	20	58920300	6.5	20
9795-1560	60	15			
9795-2060	60	20	[Triton II Series]		
9795-1565	65	15	AT-40	1.9	20
9795-2065	65	20	AT-60	3.1	20
9795-1570	70	15	AT-100	4.9	20
9795-2070	70	20	AT-100C	4.9	20
9795-1575	75	15	AT-140	7.0	20
9795-2075	75	20	SFSM-24	3.1	20
9796-1580	80	15	SFSM-30	4.9	15
9796-2080	80	20	SFSM-36	7.0	15
9796-1585	85	15	TR-40	1.9	20
9796-2085	85	20	TR-50	2.4	20
9796-1590	90	15	TR-60	3.1	20
9796-2090	90	20	TR-100	4.9	15
9796-1595	95	15	TR-100B	4.9	20
9796-2095	95	20	TR-100HD	4.9	15
9798-15100	100	15	TR-140	7.0	15
9798-20100	100	20			
9798-15105	105	15	[Triton II Commercial Series]		
9798-20105	105	20	AT-100C, AT-100C-3	4.9	20
9798-15110	110	15	AT-140C	7.0	20
9798-20110	110	20	SFSM-30C	4.9	20
9798-15115	115	15	SFSM-36C	7.0	20
9798-20115	115	20	TR-100C, TR-100C-3	4.9	20
9798-15120	120	15	TR-140C, TR-140C-3	7.0	20
9798-20120	120	20			
9798-15125	125	15	[THS series]		
9798-20125	125	20	THS3461	13.5	20
9798-15130	130	15	THS3484	19.0	20
9798-20130	130	20	THS4272	19.7	20
9798-15140	140	15	THS4284	23.2	20
			THS4296	26.7	20
[Vacuum Filter]					
6507	19.6	20	<u>Sta-Rite Industries Inc.</u>		
6508	23.8	20	(Parent company Pentair)		
6509	28.2	20			
6510	33.2	20	21603-1042	9.26	20
6511	38.4	20	21603-1047	12.16	20
6512	44.1	20	21603-1055	16.58	20
6513	50.2	20			

21603-1063	21.64	20	F148328W	56	20
21603-1071	27.34	20	F160606W	32	20
21603-1079	33.80	20	F160726W	37	20
21603-1093	46.72	15	F160846W	46	20
			F160968W	51	20
HRPB 20	2.2	20	F160088W	57	20
HRPB 24	3.1	20	F160168W	63	20
HRPB 30	4.9	20	F160208W	68	20
			F160328W	73	20
[System 3]			F178008W	53	20
S7S50	2.4	20	F178388W	75	20
S8S70	3.4	20			
			P25142X	9.6	15
[Cristal-Flo Series]			P25148X	12.6	15
T-150 BP-1	1.2	20	P25154X	15.9	20
T-170 BP-1	1.6	20	P25160X	19.6	20
T-200 BP-1	2.2	20	P25166X	23.8	20
T-240 BP-1	3.1	20	P25172X	28.3	20
T-240 BP-2	3.1	20	P25178X	33.2	20
T-300 BP-2	4.9	20	P25184X	38.5	20
S-200BP-1M	2.1	20	P25190X	44.2	20
S-240BP-1M	3.1	20	P25196X	50.3	20
S-240BP-2S	3.1	20	P25102X	56.7	20
			P25108X	63.6	20
<u>United Industries Inc.</u>			P25114X	70.9	20
			P25120X	78.5	20
[Horizontal FRP Series Filters]			P25242X	19.2	15
F142484	16.8	20	P25248X	25.2	15
F142604	20.3	20	P25254X	31.8	15
F142606	20.3	20	P25260X	39.2	20
F142724	23.8	20	P25266X	47.6	20
F142726	23.8	20	P25272X	56.6	20
F142846	27.3	20	P25278X	66.4	20
F142966	30.8	20	P25284X	77.0	20
F148726	27.6	20	P25290X	88.4	20
F148846	31.6	20	P25296X	100.6	20
F148966	35.6	20	P25202X	113.4	20
F148086	39.6	20	P25208X	127.2	20
F148088	39.6	20	P25214X	141.8	20
F148206	43.6	20	P25220X	157.0	20
F148208	43.6	20	P25342X	28.8	15
F160726	35.7	20	P25348X	37.8	15
F160846	40.7	20	P25354X	47.7	15
F160848	40.7	20	P25360X	58.8	20
F160966	45.7	20	P25366X	71.4	20
F160968	45.7	20	P25372X	84.9	20
F160086	50.7	20	P25378X	99.6	20
F160088	50.7	20	P25384X	115.5	20
F160208	55.2	20	P25390X	132.6	20
			P25396X	150.9	20
			P25302X	170.1	20
[Horizontal High Rate Fiberglass]			P25308X	190.8	20
F142604W	21	20	P25314X	212.7	20
F142726W	26	20	P25320X	235.5	20
F142846W	30	20	P25442X	38.4	15
F142966W	34	20	P25448X	50.4	15
F142086W	38	20	P25454X	63.6	15
F142166W	42	20	P25460X	78.4	20
F142206W	45	20	P25466X	95.2	20
F142326W	48	20	P25472X	113.2	20
F148606W	24	20	P25478X	132.8	20
F148726W	29	20	P25484X	154.0	20
F148846W	34	20	P25490X	176.8	20
F148966W	38	20	P25496X	201.2	20
F148086W	44	20	P25402X	226.8	20
F148166W	48	20	P25408X	254.4	20
F148206W	52	20			

P25414X	283.6	20
P25420X	314.0	20

Waterco

[HRV Series]

22207208	2.17	20
22207248	3.14	20
22207308	4.91	20
22207368	7.07	20

Micron Commercial

220042341	9.62	20
220048241	12.56	20

22501054801	9.3	20
22501204101	12.2	20
22501404101	16.6	20
22501604101	21.6	20
22501604151	21.6	20
22501804151	27.4	20
22502004151	33.8	20

229105010014	9.3	20
229120010014	12.2	20
229140010014	16.6	20
224916001001	21.6	20
224916001501	21.6	20
224918041501	27.4	20
224920001514	33.8	20
2249220015014	40.9	20
2249235015014	46.7	20
2249250020014	52.8	20
2249300020014	75.9	20
2249350025014	103.8	20

Whitten Products

[Vacuum Filters]

WVS-12.5	12.5	15
WVS-20	20	15
WVS-30	30	15
WVS-40	40	15
WVS-50	50	15
WVS-60	60	15
WVS-100	100	15
WVS-120	120	15
WVS-140	140	15

HVSB-30	30	15
HVSB-40	40	20
HVSB-50	50	20
HVSB-60	60	20
HVSB-70	70	20
HVSB-80	80	20
HVSB-90	90	20
HVSB-100	100	20
HVSB-110	110	20
HVSB-120	120	20

1U-1C-X	Varies with model number	
1U-2C-X	See NSF listing. Maximum	
1U-3C-X	listing. Maximum flowrate	
	20gpm/sq/ft	

Zodiac Pool Systems, Inc. (Formerly Jandy Pool Products)

JS100-SM	4.7	20
JS60-SM	2.9	20

CARTRIDGE FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
-------	--------	-----------------------------------

Baker-Hydro

UM 50	50	0.375
UM 75	75	0.375
UM 100	100	0.375
UM 150	150	0.375

Competition Pool Accessories, Inc. (formerly Jacuzzi)

CFR-50	50	0.375
CFR-75	75	0.375
CFR-100	100	0.375
CFR-150	150	0.375
SHER-80	80	0.375
SHER-120	120	0.375
SHER-160	160	0.375
SHER-200	100	0.375
TC-300	300	0.375
TC-450	450	0.375
TC-600	600	0.375

Harmsco Inc.

BF 42-A or BF 42 BKM-A	42	0.375
BF 84-A or BF 84 BKM-A	84	0.375
BF 96-A or BF 96 BKM-A	96	0.375
BF 126-A or BF 126 BKM-A	126	0.375
BF 144-A or BF 144 BKM-A	144	0.375
BF 55 SCA	55	0.375
BF 105 SCA	105	0.375
BF 155 SC	155	0.375
BF 168	168	0.375
BF 336	336	0.375
BF 450	450	0.375
BF 600	600	0.375
BF 900FL	900	0.375
BF 1200FL	1200	0.375
HUR 170, HUR 170TC	170	0.375

Hayward Pool Products Inc.

[Star Clear Series]

C500	50	0.375
C750	75	0.375

[Star ClearPlus Series]

C1750X	175	0.343
C17502X	190	0.343
C751	75	0.375
C1200X	120	0.375
C900X	90	0.367

[Super Star Clear Series]

C2000	200	0.375
C3000X	300	0.375
C3000BH	325	0.375

C3000H	325	0.375	PLM175	175	0.375
C4000X	400	0.375	PLM200	200	0.375
C4000BH	450	0.375	PLM300	300	0.375
C4000CP	400	0.375	PTM50	50	0.375
C4000H	450	0.375	PTM70	70	0.375
C4000S	400	0.375	PTM100	100	0.375
C5000	500	0.3	PTM135	135	0.375
C5000BH	550	0.3			
C5000H	550	0.3	[System 3]		
[SwimClear]			S7M120	300	0.333
C2020	200	0.375	S7M400	400	0.288
C2025	225	0.375	S8M150	450	0.275
C2030	225	0.375	S8M500	500	0.260
C3020	300	0.375			
C3025	325	0.375	[Posi-Clear]		
C3025AQ (Aquatech Label)	325	0.375	PXC75	75	0.375
C3020AQ (Aquatech Label)	300	0.375	PXC95	95	0.375
C3030	325	0.375	PXC125	125	0.375
C4020	400	0.375	PXC150	150	0.375
C4025	425	0.375			
C4030	425	0.375	<u>Waterway (B & S Plastics)</u>		
C4020CP	400	0.375	570-0250	250	0.300
C4520BH (Blue Haven Label)	450	0.375	570-0325	325	0.350
C4530BHMB	450	0.375	570-0425	425	0.350
C5020	500	0.3	570-0525	525	0.300
C5025	525	0.375			
C5030	525	0.3	<u>Waterco</u>		
C5520BH (Blue Haven Label)	550	0.3	C25	25	0.375
C5530BH	550	0.3	CC50	50	0.375
C5530BHMB	550	0.3	CC75	75	0.375
C7030	700	0.3	CC100	100	0.375
			CC150	150	0.375
[High Performance HCF]					
HCF7030C (150 GPM Max. Flow)	700	0.3	<u>Zodiac Pool Systems, Inc. (Jandy Pool Products)</u>		
			CL340	340	0.373
<u>Pentiar Pool Products Inc. (Pac Fab Inc.)</u>			CL460	460	0.326
[CFW series]			CL580	580	0.259
CFM 120	120	0.375	CV340	340	0.373
CFM 180	180	0.375	CV460	460	0.326
CFM 315	315	0.375	CV580	580	0.259
CFW 120	120	0.375			
CFW 180	180	0.375	PUMPS	HP	gpm @ 60
CFW 315	315	0.375	<u>Aqua-Flo, Inc.</u>		
Clean and Clear			[Dominator Series]		
CC50	50	0.375	15007000, 15407000	¾	51
CC75	75	0.375	15010000, 15410000	1	70
CC100	100	0.375	15015000, 15415000	1½	96
CC150	150	0.375	15020000, 15420000	2	118
CC200	200	0.375			
Clean and Clear Plus			<u>California Pools</u>		
CCP320	320	0.375	(manufactured by Hayward Pool Products for California Pools)		
CCP420	420	0.375			
CCP520	520	0.375			
			SP3110CP	1	73
<u>Sta-rite Industries</u>			SP3115CP	1½	94
(Parent company Pentair)			SP3120CP	2	112
			<u>Competition Pool Accessories, Inc. (formerly Jacuzzi)</u>		
[System 2]			[Magnum Plus]		
PLM100	100	0.370	7MP-S or 1UMP-S	¾	55
PLM125	125	0.375			
PLM150	150	0.370			

SP3230	3	155
SP3230EE	3	155
SP323063EE	3	155
SP3250	5	182
SP3250EE	5	182

EE = Energy Efficient Motor
 X# = Max Rate HP Suffix
 BH = Private Label Brand
 EF = Energy Flow Equivalent Models for Leslie's
 VSP = Variable Speed
 VSPND = Variable Speed Pool Control

ITT Marlow

2AF1ECB2	2	87
2AF1ECB3	3	132
3B28EC-C2	7½	213
3B32EC-C2	5	319
4SPC10EC-10	10	500
4SPC15EC-15	15	675
4SPC20EC-20	20	900

*530 Series
 *610 Series
 *710 Series
 *Pool plans should specify the pump model and the flowrate at 60 feet of head.
 *All pumps require a hair/lint strainer.
 *A list of approved model numbers can be found in NSF listings.

(M) =Max. Rated Pump (F) =Full Rated Pump

Hybrid Pumps Inc.

Water Cobra X2C	3.0	134
-----------------	-----	-----

Leslie's Swimming Pool Supplies

(Manufactured by Hayward for Leslie's)

Tristar Series Equivalent Pumps

EF750	¾	53
EF1000	1	82
EF1500	1½	112
EF1502	1½	112
EF2000	2	130
EF2002	2	130
EF200VS	1⅞	80

Super II Series Equivalent Pumps

RS-750	¾	56
RS-1000	1	73
RS-1500	1½	94
RS-2000	2	112
RS-2500	2½	127
RS-3000	3	137

Paco Pumps /Sulzer Pumps

*Type L Series Closed Coupled Horizontally Mounted Pumps
 *Type L Series Closed Coupled Vertically Mounted Pumps
 *Type L Series Frame Mounted Pumps
 *Type VL Series In-Line Pumps

*Type KP or KPV Series Split case Horizontal or Vertical Mounted Pumps

*Impellers are specifically machined for each application therefore flowrates cannot be determined for each pump.
 *Pool plans should specify the pump model and the flowrate at 60 feet of head.

*All pumps require a hair/lint strainer.

*A list of approved model numbers can be found in NSF listings.

Pentair Pool Products Inc. (Pac Fab Inc.)

[C Series]

CH-50	5	230
CM-50	5	250
CHK-50	5	250
CHK-75, CHKL-75	7½	410
CHK-100	10	530
CHK-150	15	605
CHK-200, CHKL-200	20	705
CMK-50	5	238
CMK-75	7½	370
CMK-100	10	480
CMK-150	15	675

[Challenger Series]

CHII-N1-½ F/FE	½	33
CHII-N1-¾ F/FE	¾	54
CHII-N1-1 F/FE	1	68
CHII-N1-1½ F/FE	1½	82
CHII-N1-2 F/FE	2	110
CHII-N1-3 FE	3	132

[EQ Series]

EQ500 1PH	5	275
EQ500 3PH	5	275
EQ750 1PH	7.5	400
EQ750 3PH	7.5	400
EQ1000 3PH	10	480
EQ1500 3PH	15	710

[IntelliFlo Series]

IntelliFlo i1	1	76
IntelliFlo i2 VS 011009	2	116
IntelliFlo i2 VS 011060	2	116
IntelliFlo VSF 011056	3	126
IntelliFlo VF	3	130
IntelliFlo VS	3	140
IntelliFlo VST	3	140
IntelliFlo VS + SVRS	3	140
IntelliFlo XF VSF 022056	3	156

IntelliPro VSF 013004	3	122
IntelliPro VS + SVRS	3	143
IntelliPro XF Variable Speed	3	156
IntelliPro XF VSF 023056	3	156

[Restrictions apply contact our office and pump must not exceed plumbing velocity]

[WhisperFlo Series]

(full rate / energy efficient)

WF-2X, WFE-2X, WFK-2X	½	40
WF-3X, WFE-3X, WFK-3X	¾	60
WF-4X, WFE-4X, WFK-4X	1	76
WF-6X, WFE-6X, WFK-6X	1½	99
WF-8X, WFE-8X, WFK-8X	2	113
WF-12X, WFE-12X or WFK-12X	3	138
WF-24X, WFE-24X	¾	60
WF-26X, WFE-26X	1	76
WF-28X, WFE-28X	1½	99
WF-30X, WFE-30X	2	113

[WhisperFlo XF-Series]

XFXXX-8	2	117
XFXXX-30	2.5	117
XFXXX-12	3	155
XFXXX-20	5	220

XXX=motor types; full rate, up rate TEFC, EE, E+ and 3-Phase

[Max-E-Pro XF- Series]

XPXXX-8	2	117
XPXXX-30	2.5	117
XPXXX-12	3	155
XPXXX-20	5	220

XXX=motor types; full rate, up rate TEFC, EE, E+ and 3-Phase

Pentair Pool Products
(Sta-Rite Industries Inc.)

CCH-137S	3	146
CCH3-137S	3	146
CCHH-137	3	146
CCHHS-137	3	146
CCHH3-137	3	146
CCHH3S-137	3	146
CCMH-136	3	148
CCMH-136S	3	140
CCMHS-136	3	148
CCMH3-136	3	148
CCMH3-136S	3	140
CCMH3S-136	3	148
CF6EF-81L	1½	59
CF6EG-82-L	2	70
CF6H-123	3	82
CF6H3-123	3	82
CHH-137	3	146
CHH3-137	3	146
CHJ-136	5	214
CHJ-138	5	214
CHJ3-138	5	214
CMH-136	3	140
CMH3-136	3	140
DDH3-112	3	110
DDH3-169	3	110
DHH-112	3	110
DHH-169	3	110
DHJ-113	5	152
DHJ3-113	5	152
DMH-110	3	139
DMH-171	3	139
DMH3-110	3	139
DMH3-171	3	139
DMJ	5	190
DMJ3	5	190

[Dura-Glas Series]

P2R5C-120L or 180L	½	40
P2R5D-124L or 181L	¾	52
P2R5E-125L or 182L	1	68
P2R5E3-182	1	68

[Dura-Glas II Series]

P4R6E-151L or 187L	1	70
P4R6E3-187	1	70
P4R6F-152-L or 188L	1½	103
P4R6F3-188	1½	103

[MaxE-Glass Series]

PE5C-120L or 180L	½	39
PE5D-124L or 181L	¾	56
PE5E-125L or 182L	1	73
P4E6D-150L or 186L	¾	55
P4E6E-151L or 187L	1	70
P4E6F-152-L or 188L	1½	103
P4E6G-153-L or 189L	2	118
P4E6H-154L or 190L	3	146

[Dyna-Glas Series (Standard)]

MPRA6E-147L	1	37
MPRA6F-148L	1½	74
MPRA6G-155L	2	88
MPRA6G3-155	2	88

[Dyna-Max Series (En. Eff.)]

MPEA6F-148L	1½	74
MPEA6G-155L	2	88
MPEAA6G-168L	2½	109

Max-E-Pro Series

P6E6D-205L	¾	54
P6E6E-206L	1	72
P6E6F-207L	1½	97
P6E6G-208L	2	113
P6E6H-209L	3	139
P6RA6E-205L	1	72
P6RA6F-206L	1½	97
P6RA6G-207L	2	113
P6RA6E-205L	1	54
P6EA6F-206L	1½	72
P6EA6G-207L	2	97
P6EAA6G-208L	2½	113

[CCSP Series]

CCSPHK-142	7½	330
CCSPHK3-142	7½	330
CCSPH2K3-142	7½	330
CCHPHL-143	10	330
CCSPHL3-143	10	440
CCSPH2L3-143	10	440
CCSPHM3-144	15	652
CCSPH2M3-144	15	652
CCSPHN3-145	20	757
CCSPHN3-145	20	757

[CSPH Series]

CSPHK-142	7½	330
CSPHK2K3-142	7½	330
CSPHK3-142	7½	330
CSPHL-143	10	440
CSPH2L3-143	10	440
CSPH3-143	10	440

CSPH2M3-144	15	625
CSPHM3-144	15	625
CSPH2N3-145	20	750
CSPHN3-145	20	750

IntelliFlo VF [restrictions apply contact our office]
 IntelliFlo VS + SVRS [restrictions apply contact our office]

Raypak

VSP- Variable Speed		
PS165VSP	1.65	54
PS270VSP	2.70	90

[Restrictions apply to VPS Variable speed pumps installations, please contact our office]

Speck Pumps

72-IV	2	69
72-V	2½	90
72-VI	3½	115
95-IX	5	140
95-X (3-Phase pump)	7½	315
S90-III	1½	55
S90-IV	2	80
433-I	¾	20
433-II	1	37
433-III	1½	50
433-IV	2	73
433-V	2½	92
433-VI	3½	110

Waterco

Hydrostorm Plus

2405075A	¾	20
2405100A	1	50
2405150A	1½	85
2405200A	2	100
2405300A	3	150

HydroStar

2404075A	¾	57
2404100 ^a	1	75
2404150A	1½	94
2404200A	2	104
2404300A	3	151

Hydro 5000

19B05000	7½	310
19B05001	10	475
19B05002	15	675
19B05003	20	725
19B05004	7½	310

Waterway (B & S Plastics)

SVL56S-120	2	102
SVL56E-120	2	108
SVL56S-125	2½	97
SVL56E-130	3	139

Zodiac Pool Systems, Inc. (Jandy Pool Products)

FHPM 1.0	1.0	20
FHPM 1.5	1½	55
FHPM 2.0	2.0	78
FHPM 2.5	2.0	109
SHPF .75	¾	47
SHPF 1.0	1.0	82
SHPF 1.5	1½	108
SHPF 2.0	2.0	125
SHPF 3.0	3.0	176
SHPM 1.0	1.0	47
SHPM 1.5	1.5	82
SHPM 2.0	2.0	108
SHPM 2.5	2.5	125

[Restrictions apply to variable speed pump installations. Please contact our office]

VSSHP220AUT (JEP 1.5)	2.2	105
VSSHP270AUT (JEP 2.0)	2.7	119
JEP 2.0 + SVRS	2.7	119
VSFHP165AUT	1.65	55
VSFHP165JEP	1.65	55
VSFHP270AUT (VS-FHP 2.0)	2.7	100
VSFHP270JEP (VS-FHP 2.0)	2.7	100
VSPHP270AUT	2.7	115
VSPHP270JEP	2.7	115

RECESSED AUTOMATIC SKIMMERS

Maximum Flow GPM

AquaStar Pool Products

SKR101 2" - Gunite skimmer reinforced water stop	55
SKR201 2" - STD gunite skimmer	55
SKR301 2" - 9" Deep throat vinyl/fiberglass	55
SKR401 2" - 12" Deep Throat vinyl/fiberglass	55
SKR501 2" - Widemouth deep Throat vinyl/fiberglass	55

All with float assembly

Bradford Products LLC.

(Stainless Steel)	
SKC08	60
SKF08	60
SKW08	60

Hayward Inc.

SP 1070-FVE	55
SP 1071 FVE 1½ "	55
SP 1071S FVE 1½ "	55
SP 1071S FVE 2"	55
SP 10712 SFVE 2"	55
SP 1082-FVE	55
SP 1084-FVE	55
SP 1085-FVE	55

Note: Either a (FVE) Low Water Float Valve or (SP1070FVEKIT) combination float valve/equalizer valve is required for all skimmers.

Note: Auto-fill lines require backflow protection. Overflow lines require a physical air gap.

Pentair Pool Products Inc. (Pac Fab Inc.)

Bermuda BKG

506370	55
506371	55
506380	55
506381	55

[Series S-20]

8442020x 1½"	60
8442050x 2"	60
8442060x 2"	60

Sta-Rite Industries

(Parent company Pentair)

[U3 Series]

08650-1403	55
08650-2403	55
08650-1404	55
08650-2404	55

Waterway (B & S Plastics)

540-6200 1½"	75
540-6250 1½"	75
540-6300 2"	75
540-6350 2	75

FLOWMETERS

Blue White Industries

- D-300 Series
- F-300 Series
- F-300N Series
- F-300R Series
- F-400 Series
- F-500 Series
- F-1000 RB Series
- F-1000 RT Series
- F-1000 TB Series
- F-2000 Series
- U-300 Series

+George Fisher +Signet

[George Fisher]
800 series

[+George Fisher +Signet]

- P51530-X
- 3-2536
- 3-5090
- 3-5100
- 3-5500
- 3-8550
- 3-9010

H2flow Controls Inc.

- FlowVis FV-C
- FlowVis FV-3
- FlowVis FV-4

Rola-chem

- 5703X
- 5704X

Wallace & Tiernan

520.300

Water Specialties Corp.

LP-32 sizes 6" thru 20"1

SEPARATION TANKS **Max. Sq. Ft.**

Hayward Pool Products Inc.

C9002SEP	80
----------	----

Pentair Pool Products Inc. (Pac Fab Inc.)

SP40-1.5	24
SP60-1.5	36
SP60-2	48
SP80-2	72

300005	100
--------	-----

[Triton Series]

S-20	36
S-30	80

Sta-Rite Industries Inc.
(parent company Pentair)

60SEP	60
-------	----

CHEMICAL CONTROLLERS

Must have NSF Standard 50 or 60 approval

CHLORINATORS / CHEMICAL FEEDERS

**Output lbs./day
as Cl₂**

All flow-through type chlorinators must have a flow indicator device

AllChem Performance Products

[Vantage]	
ACF-18	26.0
ACF-18B	26.0
ACF-60	80.0

ACF-60B	80.0
ACF-250	200.0
<u>Aquasol Controllers, Inc.</u>	
Series 45	50
Series 85	85
Series 100	100
Series 170	170
<u>Arch Chemicals, Inc. (a Lonza Company)</u>	
Poolife Autofeed A300	20.0
Pulsar I SF-2B	30.0
[Pulsar II]	
PCP 2000	10.14
PCP 3000	31.2
PCP 3000 RS	48.0
PCP 3000 RSG	97.0
[Pulsar III]	
PS 5000	120.0
[Pulsar IV]	360.0
PS 8000	
Pulsar	
PS-45	58.0
PS-140	163.0
PS-500	486.0
Quikload SF1A	32.0
<u>Bio-lab Inc.</u>	
MA-18-B-FM	8.4
MA-35-B-FM	12.5
MA-48-B	70.8
<u>Blue White Ind.</u>	
A-114-4	9
A-114-4N	9
A-114-6	22
A-114-6N	22
A-114-7	37
A-114-7N	37
A-130-4	18
A-130-4N	18
A-130-6	48
A-130-6N	48
A-130-7	92
A-130-7N	92
A-145-6N	92
A-145-7N	92
A-214-6NT	29
A-230-6NT	64
A-245-6NT	101
A-260-6NT	127
A-1614T-4	9
A-1614T-4N	9
A-1614T-6	22
A-1614T-6N	22

A-1614T-7	37
A-1614T-7N	37
A-1630T-4	18
A-1630T-4N	18
A-1630T-6	48
A-1630T-6N	48
A-1630T-7	92
A-1630T-7N	92
A-1645T-6N	81
A-1645T-7N	112
A1N00X-4T	2.3
A1N10X-4T	4.9
A1N20X-4T	8.0
A1N30X-4T	11.4
A1N00X-6T	8.2
A1N10X-6T	16.0
A1N20X-6T	24.0
A1N30X-6T	30.1
A1N00X-7T	26.0
A1N10X-7T	52.5
A1N20X-7T	91.0
A1N30X-7T	95.1
C-614P	24
C-630P	69
C-645P	109
C-660P	132
C-6125P	285
C-6250P	527
<u>Ecolab Inc.</u>	
[Cal-Hypo]	
N-290	11.28
N-290H	11.28
(H-hexagon shaped opening)	
All-in-one Cal Hypo 1030	26.64
<u>EMEC S.r.l.</u>	
*A Series	
*K Series	
*T Series	
*V Series	
*W Series Except model WDPHRH	
*Does not include self venting models or models without US electrical plug. See output specifications for individual model numbers within each series. NSF 50 standard tested by WQA where models can be verified.	
<u>Hasa Inc.</u>	
Liquidator C-201	2.5
Liquidator R-101	2.5
<u>Hayward</u>	
ACO35	6.3
CL-220X	1.6
C-250X	32.4
C-500X	37.8
C-1100X	81.0
C-1800X	86.4
C-2400X	102.6

King Technology Inc.

910	1.6
940	1.6
960	1.4
980	1.6

Leslie's Swimming Pool Supplies

Sani-Tower 275	139.2
Sani-Tower 90	10.6

Manufactured by PPG)
Chlorination Column #16-20020.6
(Manufactured by PPG)
Qwikload 32.0

(Manufactured by Arch)

Liquid Metronics Inc.

*A Series

*B Series

*C Series

*G Series

*M Series

*P Series

*U Series

*See output specifications for individual model numbers within each series.

Milton Roy Co. (LMI, Inc.)

*G Series

*See output specifications for individual model numbers within each series.

Pentair (Rainbow)

300, 300C (needs flow indicator)	0.99
300-19 (needs flow indicator)	1.61
300-29 (needs flow indicator)	3.39
300-29X (needs flow indicator)	6.62
310 (needs flow indicator)	0.99
320, 320C (needs flow indicator)	1.92
HC-3315	26.4
HC-3330	43.2
HC-3340	89.6

PPG Industries Inc.

[Cal Hypo]

N200	6.0
------	-----

[Accu-Tab]

100	18.8
3008	18.0
3012	11.28
3075	64.8
3150	177.6

[Accu-Tab]

(Must be installed with a solution tank)

1030	26.4
------	------

3070	64.8
3070AT	64.8
3140	177.6
3140AT	177.6
3500	396.0

ProMinent
Pump Version#

1000	0.18
1601	0.28
1002	0.55
0704	1.0
0308	2.11
0215	4.00

VersaChlor
[Cal Hypo]
System 1

35.2

Rola-chem

RC 25X, RCS 252X	0.9
RC 25/50X	11.5
RC 25/52X, RCS 25/52X	11.5
RC 25/53X, RCS 25/53X	11.5
RC 100X	38.0
RC 102X, RCS 102X	38.0
RC 103X, RCS 103X	38.0
RC 500X	77.0
RC 502X, RCS 502X	77.0
RC 503X, RCS 503X	77.0

X =Suffix SC or SP

Stenner (ETL approved)

45M1	3.0
45MHP2	3.0
45M2	10.0
45MHP10	10.0
45MHP22	22.0
45M3	22.0
45M4	35.0
45M5	50.0
85M1	5.0
85MHP5	5.0
85M2	17.0
85M3	40.0
85MHP40	40.0
85M4	60.0
85M5	85.0
100DM1	6.0
100DMHP5	6.0
100DM2	20.0
100DMHP20	20.0
100DM3	44.0
100DM4	70.0
100DM5	100.0
170DM1	10.0
170DMHP9	10.0
170DM2	34.0
170DMHP34	34.0
170DM3	80.0
170DM4	120.0
170DM5	170.0

Pulsafeeder, Inc.

Mec-O-Matic
Dolphin Series

UD10	13.0
UD20	20.0
UD50	60.0
UD75	97.0

Stingray Series

SR 105/205	8.0
SR 110/210	12.0
SR 125/225	30.0
SR 150/250	60.0
SR175/275	90.0

VSP Series

VSP12	12.0
VSP20	20.0

SureWater Technologies

22152-01 (The Solution)	1728.0
22152-02 (X-2)	197.0

Waterway (B&S Plastics)

CCF012 (off line)	1.87
CCF012-W (off line)	1.87
CLC012 (in line)	1.27
CLC012-W (in line)	1.27

CHLORINE GENERATORS

Check local ordinances that may prohibit chlorine generators from being installed. There are known issues in the following areas: Santa Clarita, Saugus, Valencia, Newhall, Castaic, Malibu, West Lake Village, Calabasas, Agoura Hills, Hidden Hills, Canyon Country, Stevenson Ranch, Fair Oaks Ranch, Bouquet Canyon, Mint Canyon, Forrest Park, and unincorporated areas of the Antelope Valley. All generators to be sized at 3 lbs/day chlorine with side-stream installations only.

CHLORINE GENERATORS Output lbs./day as Cl₂
Side –stream installations only

Autopilot Systems Inc.

ST-220 with CC-15 Cell	2.50
DIG-220 with CC-15 Cell	2.50
PPP-2	5.0
PPP-3	7.5
PPP-4	10.0
PPP-5	12.5
PPP-6	15.0

Biolab

Mineral Springs MS-10	1.45
Mineral Springs MS-11	1.45

Approved units begin with serial no. 0102xxxx

Side stream installation only

ChlorKing

CHLOR-.75M	0.75
CHLOR-1.25M	1.25
CHLOR-1.5	1.50
CHOR-2.0M	2.0
CHLOR-2.0MSM	2.2
CHLOR-2.5M	2.5
CHLOR-3.0MSM	3.0
CHLOR-3.5	3.5
CHLOR-5.0	5.0
CHLOR-5.0MSM	6.0
CHLOR-7.5	7.5
CHLOR-7.5SM	7.5
CHLOR-10	10.0
CHLOR-10SM	10.0
CHLOR-12.5SM	14.0
CHLOR-15	15.0
CHLOR-15.0SM	17.0
CHLOR-20	20.0
CHLOR-20.0SM	22.0
CHLOR-25	25.0
CHLOR-25SM	28.0
CHLOR-40	40.0

NEXGEN-10	12.0
NEXGEN-10SM	12.0
NEXGEN-20	24.0
NEXGEN-20SM	24.0
NEXGEN-40	48.0
NEXGEN-40SM	48.0
NEXGEN-80	96.0
NEXGEN-80SM	96.0

XGEN5	4.75
XGEN7.5	7.12
XGEN10	9.5
XGEN20	20.0
XGEN40	40.0
XGEN80	80.0

Chlormatic

NSF listed units have a beginning serial number of 03072902

CM301	0.625
CM601	1.25
CM601C	1.25
COM25	5.0

Clortec Group

[Severn Trent Water Purification, Inc]

CT-75	75.0
CT-100	100.0
CT-150	150.0
CT-200	200.0
CT-225	225.0
CT-300	300.0
MCT-12	12.0
MCT-24	24.0
MCT-36	36.0

Compupool Products

ES150	8.0
ES200	10.0
ES300	15.0
ES400	20.0

C-CPP250	13.5
C-CPP400	21.0
C-CPP500	23.5
C-CPP600	32.5
C-CPP800	43.5
C-CPP1000	47.0
C-CPP1500	70.5
C-CPP2000	94.0
C-CPP2500	117.5
C-CPP3000	141.0

Ecolab Inc.

Pure Comfort

Pure 2.1	2.0
Pure 2.5	2.5
Pure 3.5	3.5
Pure 5.0	5.0
Pure 7.5	7.5
Pure 10	1.0
Pure 15	15.0
Pure 25	25.0

(Side stream installation only)

Eco-Matic

ESC 16 (COMM160)	0.77
ESC 36 (COMM360)	1.72
ESC 48 (COMM480)	2.12
COMM1200	6.3
COMM2400	12.7
COMM4000	21.1

Side-stream installations onlyHayward - Goldline

Aqua Rite	1.45
Aqua Rite-X280	1.45
Aqua Rite-X281	1.45
Aqua Rite XL	1.45
Aqua Rite Logic	1.45
Naturesoft	1.45
SwimPure	1.45

Approved units begin with serial no. 0102xxxx

Side stream installation onlyPebble Technology

Naturesoft1.45

Approved units begin with serial no. 0102xxxx

Side-stream installation onlyPentair

[IntelliChlor]

CIC60	1.97
-------	------

Side-stream installation onlyPool Thing

C260C1.06
C390C1.58

C520C2.11

Side-stream installations only

TMI Salt Pure Corporation

MXSCG	0.74
M2XSCG	1.27
XSCG	1.69
XMCG	2.83
2XSCG	2.12
ZX-5	5.00
2XMCG	5.65
XLCG	6.30
2XLCG	12.70
3XLCG	21.10

[LV Series]

LV9	22
LV10	23.5
LV11	33
LV15	47
LV17.5	66
LV20	70.5
LV25	94
LV30	117.5
LV35	141

[NV Series]

NV6.5	8.5
NV7	11
NV8	16.2
NV9	22
NV10	23.5

Side-stream installations onlySaline Generating Systems (SGS)

SGS5000SGS1/SGS2	2.29
------------------	------

Side-stream installations onlyPool Systems, Inc.(Jandy Pool Products)

AquaPure700	0.625
AquaPure 1400	1.25

Hayward – Saline C 6.0 & Saline C11.0

HCSC60	5.0
HCSC110	10.0

Side-stream installations only**GAS CHLORINATORS**Capital Controls

Advance 200 series
(Must have anti-siphon type injector)

Wallace & Tiernan

(Must have anti-siphon type injector)

(No longer available for new installations)

V-75VSP

V-100ASP

BROMINATORS

**Output
Lbs/day as Br₂**

All bromine feeders must have a flow indicator device

Biolab Inc.

25163	3.98
25165	9.27
25167	24.8
25168	49.1
25169	90.4

[Vantage (Aquabrome)]

CR8.14	1.94
CR8.19	3.98
CR8.28	6.54
CR8.35	9.27
CR8.45	13.0
CR10.47	24.8
CR13.54	49.1
CR16.65	90.4
CR21.62	147

[Guardex]

6 X 420	3.98
6 X 425	9.27
6 X 430	24.8
6 X 435	49.1
6 X 445	90.4

Pentair (Rainbow)

300	0.95
300-29X	1.25
302	0.26
320	1.39

DRAIN COVERS

5/31/2011 - Some drain covers have been recalled by the Consumer Product Safety Commission and they have been removed from our list. The recall is voluntary. If you decide you want to change one of the recalled drain covers to an approved one, you must submit new plans to this Department.

**Max.
gpm
Floor** **Max.
gpm
Wall**

Afras

ABF-64 (7 3/8" round)	104	64
ABF-64A (11 1/8" round)	188	160

AquaStar Pool Products Inc.

4HP101	56	56 (3)(4)(5)
--------	----	--------------

501003	157	N/A (3)
FC101 (20" round)	158	N/A (3)
6HP101	177	122 (3)(4)(5)
8AV101 (8" round)	88	70
(With vented riser ring)		
8HP101 (8" round)	177	122 (3)(4)(5)
8FUW101 (8" round)	110	106 (6)
914101 (14" x 14")	560	300
10AV101 (10" round)	206	96
(with vented riser ring)		
10AVR101 (10" round)	166	96
(with solid riser ring)		
10LT101 (10" round)	60	N/A (4)(6)
10LTD101 (10" round)	125	N/A(4)(6)
1216101 (12" x 12")	460	460
24101 (24" x 24")	1531	1531
(32" channel drains)		
32CDAVFR101 (2)	236	136
32CDAVV101 (2)	236	136
32CDAV101 (2)	236	136
32CDFLFR101 (2)	316	208
32CDFLV101 (2)	316	208
32CDFL101 (2)	316	208
32CDLTFR101 (2)	316	208
32CDLT101 (2)	316	208
A8R101 (8" round)	145	84
(with solid riser ring)		
A8R101(8" Round)	140	84 (3)
A10RCFR(X)101(10" Round)	172	164(3)
LP8AV101 (8" Round)	100	70
(with vented riser ring)		
MoFlow 8MFXXX	166	113
MoFlow R8MFXXX	146	130
MoFlow 9MFXXX	258	274
MoFlow R9MFXXX	258	274
MoFlow 10MFXXX	158	162
MoFlow 12MFXXX	274	278
MoFlow R12MFXXX	274	278
MoFlow 18MFXXX	293	NA (7)
P9101 (9"X9")	270	270 (6)
P12101 (12"X12")	360	360 (6)
P18101 (18"X18")	740	740 (6)
P24101 (24"X24")	1428	1428 (6)
R8HP101 (8" round)	177	122 (3)(4)(5)
R1216101 (12" x 12")	460	460
R914101 (14" x 14")	560	300
Sun 9101 (9" x 9")	224	224
(with vented riser ring)		
Sun 12101 (12" x 12")	232	232
(with vented riser ring)		
Sun 18101 (18" x 18")	628	628
(with vented riser ring)		
Sun18HPH101 (18"X18")	1000	644 (6)
WAV9101 (9" X 9" square)	224	224
(with vented riser ring)		
WAV12101 (12" X 12" square)	361	361
(with vented riser ring)		
WAV18101 (18" X 18" square)	628	628
(with vented riser ring)		
WAV24101 (24" X 24" square)	1444	1444 (1)
(with vented riser ring)		

BeeSafe Systems

Model 1 (46" diameter)	792	N/A
------------------------	-----	-----

Color Match Pool Fittings Inc.

8-AV101A (8" round)	148	100
10-AV101A (10" round)	184	144
8-PTD-101A (8" round)	144	100
10-PTD-101A (10" round)	180	144
RETRO8-01 (8" round)	156	88
RETRO10-01 (10" round)	228	200
AAM-PTD-11 (Channel) (2)	200	
AAM-PTD-11 (Channel) (2) Dual	208	
OpenFlow-360-01 (20" round) (1)	240	
SuperFlow-360-01 (20" round) (1)	360	

Current Systems Inc.

CSI 1823	175	NA (1)
CSI 2044	2032	2032 (1)

Custom Molded Products

25508-090L (9" x 9")	120	120
25508-120L (12' x 12")	232	232
25508-180L (18" x 18")	424	424
25201-000 (5" round)	170	170
25200-202 (5" round)	N/A	172 (4)
25207-700 (4" round)	N/A	50 (4)
25207-800 (4" round)	N/A	50 (4)
25513-000 (7.75" round)	95	84
25513-100 (7.75" round)	95	84
25513-250 (7.75" round)	60	60
25513-260 (7.75" round) Nova	140	118
25513-300 (7.75" round)	60	60
25513-400 (7.75" round) Nova	140	118
25513-500 (7.75" round) Nova	140	118
25513-600 (7.75" round) Nova	140	118
25513-700 (7.75" round)	60	60
25513-800 (7.75" round)	60	60
25514-000 (8" round)	95	84
25515-000 (7.75" round)	95	84
25515-700 (7.75" round)	60	60
25516-000 (7.75" round)	95	84
25516-250 (7.75" round)	60	60
25516-260 (7.75" round) Nova	140	118
25516-300 (7.75" round)	60	60
25516-400 (7.75" round) Nova	140	118
25516-500 (7.75" round) Nova	140	118
25516-700 (7.75" round)	60	60
25517-500 (7.75" round) Nova	140	118
25517-700 (7.75" round)	60	60
25519-000 (8" round)	95	84
25531-000 (8" round)	95	84
25537-000 (8" round)	95	84
25539-000 (7.75" round)	95	84
25539-500 (7.75" round) Nova	140	118
25539-600 (7.75" round) Nova	140	118
25539-700 (7.75" round)	60	60
25539-800 (7.75" round)	60	60
25548-000 (8" round)	95	84
25548-700 (7.75" round)	60	60
25506-320 (32" Channel Drain)	308	N/A (2)

Eureka Manufacturing Co.

AV20x20	223	N/A
AV26x26	495	N/A (1)
AV32x32	675	N/A (1)
AV44x44	975	N/A(1)

Hayward Pool Products Inc.

WG1048E (7 7/8" round)	125	72
WG1048EW (7 7/8" round)	72	72
WG1031BHF (9" Square)	264	224
WG1032BHF (12" Square)	515	308
WG1033BHF (18" Square)	812	732

Hydrokleen Systems

HKMC 3030-8 without shroud	1608	1940
HKMC 3030-8 with shroud	1600	1996

Lawson Aquatics

FI- SG-1836	2080	1496
MLD-FG-1836	2080	1496
MLD-FG-1854	4269	N/A
MLD-FG-1872	4518	N/A
MLD-FG-2424	630	N/A
MLD-FGD-0909 (9" square)	261	248
MLD-FGD-1212 (12" square)	400	340
MLD-FGD-1818 (18" x 18")	816	712
MLD-SG-06	44	49
MLD-SG-0909 (9" square)	261	248
MLD-SG-1212 (12" square)	365	340
MLD-SG-1818 (18" x 18")	816	712

Neptune Benson, Inc.

AEGIS	1432	1120
-------	------	------

New Water Solutions Inc.

DS 360 (11" round)	123	123
DS 360M (11" round)	123	123
DS 360X (9" square)	160	N/A

Paddock Pool Equipment Co.

2020PCDC (20"x 20")	1200	N/A
2020PCGO (20"x 20")	1960	1960
2040PCGO (20"x 40")	1960	1960
2424PCDC (24"x 24")	1420	1420
2424PCFC (24"x 24")	915	915
2448PCFC (24"x 48")	3500	3000
1414ESMD (14"x 14")	1200	N/A
1818ESMD (18"x 18")	1420	1420
2040ESMD (20"x 40")	1960	1960
2448ESMD (24" x 48")	3500	3000

Paramount Pool and Spa Systems

<u>SDX series</u>		
<u>XXX-162-2212-XX</u> concrete	200	192 (3)
<u>XXX-172-2212-XX</u> vinyl	200	192 (3)
<u>XXX-182-2212-XX</u> fiberglass	200	192 (3)
<u>XXX-192-2212-XX</u> retro	200	192 (3)
<u>XXX-159-2212-XX</u> retro vinyl	200	192 (3)
<u>XXX-157-2212-XX</u> retro equalizers	200	192 (3)
(All 10" round)		
<u>SDX2 series</u>		
<u>XXX-162-2231-XX</u> concrete	188	154 (3)
<u>XXX-172-2231-XX</u> vinyl	188	154 (3)
<u>XXX-182-2231-XX</u> fiberglass	188	154 (3)
<u>XXX-192-2231-XX</u> retro	188	154 (3)
<u>XXX-159-2231-XX</u> retro vinyl	188	154 (3)
<u>XXX-157-2231-XX</u> retro equalizers	188	154 (3)
(All 10" round)		
MDX-R3 US		
<u>XXX-162-2240-XX</u> concrete adj	132	(7)
<u>XXX-162-2243-XX</u> concrete non-adj	132	(7)
<u>XXX-182-2240-XX</u> vinyl	132	(7)

<u>XXX-192-2240-XX</u> fiberglass (All 10" round)	132	(7)
<u>Waterway Plastics</u>		
640-349X V	N/A	120 (4)
640-311X V (retrofit)	180	100
640-470X V (retrofit)	289	198
640-475X V (retrofit)	540	N/A
640-477X V (18" x18")	788	517
640-479X V (9" X9")	289	208
640-800X V	N/A	192 (4)
640-803X V	N/A	106 (4)
640-882XX	N/A	77 (5)
640-1320 (channel)	288	232 (2)
640-18XX V (8" round)	153	96
640-19XX V (10" round)	200	136
640-2120 V (10" round)	224	192
640-2130 V (10" round)	224	192 (3)*
*Must be installed with 642-3180 support plate		
640-2310 (8" round)	100	64
640-2320 (8" w/sump)	100	64
640-2420 (8" w/sump)	100	64
640-2520 (8" w/sump)	100	64
640-2550 (8" w/sump)	100	64
640-4720 V (12" x 12")	356	N/A
640-4760 V (24" x 24")	2035	N/A (1)
SPC-3 V	N/A	180

- (1) Unblockable drain
- (2) Channel drains must be installed with pre-manufactured sumps, no "field-built" sumps.
- (3) Approved for installation without a sump
- (4) Approved for plaster pools, wall mount only
- (5) Approved for acrylic/fiberglass shells, floor or wall mount
- (6) Tested at successor standard ASPS 16-2011
- (7) Approved for floor installation only

FLOOR INLET FITTINGS

Sta-Rite/Swimquip

(Parent company Pentair)
8417-0000 white 1½" or 2"
8417-0100 black 1½" (Restricted use; Black Race Lanes only)

SPA SHELLS

(Submit sample of tile. American Olean Swimming Pool Nosing C-701 or equivalent is approved for spa handholds)

Nespa

(Standard commercial models only. All commercial spas must be outfitted with at least one recirculation drain on the floor to be approved for use in Los Angeles County. Any customization will require IAPMO approval.)

7.5' Acapulco (7'6"x7'6")
Acapulco (7'x7')
Acapulco II (7'x7')
Acapulco III (7'6"x7'6")
Acapulco IV (7'x7'1")
Blackthorne (7'7"x8'9")
Caribbean (8'x8")
Corsica (6'x7'6")

Corsica Modified (6'x9'6")
Eight Ft. Round
Imperia (6'6"x7'10")
Imperia II (7'6"x9'6")
Kidney (7'6"x11'2")
Legacy 10 (7'6"x10')
Legacy 12 (7'6"x12')
Legacy 14 (7'6"x14')
Legacy 16 (7'6"x16')
Legacy 18 (7'6"x18')
Legacy 20 (7'6"x20')
Legacy 45 (10'3"x16' 7 1/2")
Legacy CS (7'6"x16')
Legacy CS (7'4"x18')
Legacy CS (8'x12')
Legacy CS (8'x15')
Legacy CS 46 (8'x10')
Legacy DS (8'x20')
Legacy DS (10'x20')
Legacy M (8'x20')
Legacy Para (13'x15'6")
Mirage 9 (7'6"x9')
Mirage 11 (7'6"x11')
Mirage 13 (7'6"x13')
Mirage 15 (7'6"x15')
Mirage 17 (7'6"x17')
Maxima (6'7 5/8"x6' 7 5/8")
Redwood (6'8"x20')
Rimini (6'9"x7'6")
Rimini Commercial (8'6"x8'6")
Round 7
Round 9
Round 11
Serenity (7'x12')
Six Ft. Round
Swim Spa 12 (7'6"x12')
Swim Spa 16 (7'6"x16')
Swim Spa 18 (7'6"x18')
Swim Spa 20 (7'6"x20')
Tahoe (7'6"x9'2")
Ten Ft. Round

POOL SHELLS

Nespa

(Any customization will require IAPMO approval.)

Legacy CS (12'x18')

SUPPLEMENTAL EQUIPMENT / MATERIALS

POOL SHELL FINISHES – APPROVED APPLICATORS

White Zanzibar Mini Pebble

Brian's Pool Plastering
Gardner Pool Plastering Inc.
M. Preciado Pool Plastering Inc.
San Rock Pool Plastering
Service 1st Commercial Pools
Tony Marquez Pool Plastering
Ventura Pool Care Plus
Yessman Pool & Spa

PebbleTec PebbleSheen Artic White

Certified by PebbleTec
 Gardner Pool Plastering Inc.
 San Rock Pool Plastering
 Service 1st Commercial Pools

C.L. Industries, Hydrazzo Artic White
 Condor, Inc.

WetEdge Technologies Altima White
WetEdge Technologies Luna Quartz Polar White
WetEdge Technologies Primera Stone Polar White
WetEdge Technologies Satin Matrix Polar White
 All Applicators Certified by WetEdge Technologies

APPLIED DECK MATERIAL

All Deck, Environmental Coating Systems
 Brickform, Pacific Western Coating formulation
 Certi-coat Certified Systems
 Deco Crete
 Dekra-Kote - Industrial, Mer-Kote Products Inc.
 (top coat at least 3/16" thick)
 Desert Crete Texture
 Design Flo-Crete
 Dex-o-tex, Weatherware S/S, Crossfield Products Inc.
 Dex-o-tex, Crossguard Resistite S/S, Crossfield Products Inc.
 Dur-A-Flex Hybri-Flex MQ
 Elasto-deck 1000, Pacific Polymers
 Elasto Fiberdeck, AVM System 100 (over concrete or
 AVM Crete 6400)
 Elasto-seal deck, Art Deck
 Enduro-Kote, Enduro-Kote Products Inc.
 Kool Deck-Mortex Manufacturing Co. Inc.
 Kool Krete, Multicoat Products
 Life Deck TC Knockdown - Americrete Systems
 Multi-i-thane system 451-85 mil, Multi Chemical Products
 Mult-i-thane System 456-200 mil, Multi Chemical Products
 Pli Dek Systems, Inc
 Polydeck 2000, Polycoat
 Semco, X-Bond Seamless Stone System
 Stonhard, Stonshield SLT, HRI, Med & Standard Texture
 Sundek, Surface Decking Co.
 Texcrete
 Westcoat Specialty Coating Systems – Texture Crete
 System (Formally Texture Crete Life Deck Specialty
 Coatings)
 Versa-deck - Versatile deck coatings (formerly Dec King-
 Advance Waterproof Coatings)

FIBERGLASS SYSTEMS (plan approval required)

Advanced Pool Coatings
 AmericanChem Tech/Inter- Glass
 Aqua-Glass
 Complete Pool and Spa Restoration
 Cross Pool Restorations (CPR)
 Fiberflex
 Fiberglass
 Fibre Tech

Lami-Glass of America
 Reichhold
 Rhin-O-Coat

PRE-FILTERS

Model **Max Flow Rate gpm**

WATERCO

Multichamber Centrifugal Filtration Unit
 Multicyclone 200370 130
 Multicyclone 70XL 423

ION GENERATORS (plan approval required)

Epic Services - Challenger (ETL approved)
 Caribbean Clear - all NSF listed models
 Superior Aqua Enterprises - all NSF listed models

OZONE GENERATORS (plan approval required)

Model	Max Rate Generator	Oxygen
<u>Del Industries</u>		
(CD)		
CD-2	2.0 g/hr	Built-in
CD-5	5.0 g/hr	Built-in
CD-7	7.0 g/hr	Built-in
CD-10	10.0 g/hr	Built-in
CD-15	15.0 g/hr	Built-in
CD-25	25.0 g/hr	Built-in
CD-50	50.0 g/hr	Built-in
CD-75	75.0 g/hr	Built-in
CD-100	100.0 g/hr	Built-in
CD-150	150.0 g/hr	Built-in
CD-200	200.0 g/hr	Built-in
CD-300	300.0 g/hr	Built-in
CD-500	500.0 g/hr	Built-in
CD-1000	1000.0 g/hr	Built-in
MX-600 Mixing Tower		
MX-600-CD Mixing Tower		
IU-206 Injector		
IU-216 Injector		
CT-0130 Contact Tank		
CT-0200 Contact Tank		
CT-0400 Contact Tank		
CT-0600 Contact Tank		
CT-0800 Contact Tank		
CT-2000 Contact Tank		
CT-2200 Contact Tank		
CT-2400 Contact Tank		
(UV)		
LK-2000	1.5 g/hr	None

X Indicates any combination of letters or numbers before or after the model number.