

TITLE V INDICATOR TEMPLATES

INDICATOR: Post-neonatal mortality

DEFINITION: The number of infant deaths per 1,000 live births occurring between 28 and 364 days of age

NUMERATOR: The number of infant deaths occurring at age 28 to 364 days of age, by place of residence, in a calendar year

DENOMINATOR: The total number of live births, by place of residence, in a calendar year

HEALTHY PEOPLE 2000 OBJECTIVE:

Reduce the post-neonatal mortality rate to no more than 2.5 per 1,000 live births. (Baseline: 3.6 in 1987) (Objective 14.1g)

RISK FACTORS: Congenital anomalies; injuries; infection in late pregnancy; family history of SIDS; maternal smoking or drug use; young maternal age (teen births); race/ethnicity (African American, American Indian, Puerto Rican)

See also risk factors for infant mortality.

	California				LA County				DENOMINATOR: Live Births	
	Post-Neonatal Mortality		95% Confidence Interval		Post-Neonatal Mortality		95% Confidence Interval			
Year	Number	Rate	Lower	Upper	Number	Rate	Lower	Upper	California	LA County
1990	1,869	3.1	2.9	3.2	591	2.9	2.7	3.1	611,666	204,124
1991	1,822	3.0	2.9	3.1	622	3.1	2.8	3.3	609,228	202,737
1992	1,629	2.7	2.6	2.8	537	2.7	2.5	2.9	600,838	197,415
1993	1,541	2.6	2.5	2.8	513	2.7	2.5	2.9	584,483	189,706
1994	1,481	2.6	2.5	2.7	433	2.4	2.2	2.6	567,034	180,394
1995	1,314	2.4	2.3	2.5	417	2.4	2.2	2.6	551,226	174,862
1996	1,145	2.1	2.0	2.2	350	2.1	1.9	2.3	538,628	168,973
1997	1,035	2.0	1.9	2.1	321	2.0	1.8	2.2	524,174	162,036
1998	1,001	1.9	1.8	2.0	310	2.0	1.7	2.2	521,265	158,604

Source: 1990-1998 birth and death records from California Department of Health Services, Center for Health Statistics